MODIFIED ESTIMATE

ge To	Description of Item	Unit	No	Length (m)	Breadth B1	Breadth B2	Breadth Avg B	Depth (m)	Quantity	Rate in RS.	Amount in RS.
	Ch 00.00m to Ch 18.50m		1	18.50			0.90		16.65		
	Ch 00.00m to Ch 19.00m		1	19.00			0.90		17.10		
	Ch 00.00m to Ch 19.50m		1	19.50			0.90		17.55		
	Ch 00.00m to Ch 13.50m		1	13.50			0.90		12.15		
	Ch 00.00m to Ch 19.80m		1	19.80			0.90		17.82		
	Ch 00.00m to Ch 17.00m		1	17.00			0.90		15.30		
	Ch 00.00m to Ch 21.20m		1	21.20			0.90		19.08		
	Ch 00.00m to Ch 34.00m		1	34.00			0.90		30.60		
	Ch 00.00m to Ch 36.50m		1	36.50			0.90		32.85		
	Ch 00.00m to Ch 25.20m		1	25.20			0.90		22.68		
	Ch 00.00m to Ch 24.80m		1	24.80			0.90		22.32		
	Ch 00.00m to Ch 25.50m		1	25.50			0.90		22.95		
	Ch 00.00m to Ch 25.40m		1	25.40			0.90		22.86		
	Ch 00.00m to Ch 24.60m		1	24.60			0.90		22.14		
	Ch 00.00m to Ch 22.50m		1	22.50			0.90		20.25		
	Ch 0.00m to Ch 18.80m **(Balon factory road LHS) (W0992)**		1	18.80			0.90		16.92		
	Ch 00.00m to Ch 18.90m		1	18.90			0.90		17.01		
	Ch 00.00m to Ch 17.80m		1	17.80			0.90		16.02		
	Ch 00.00m to Ch 30.00m		1	30.00			0.90		27.00		
	Ch 30.00m to Ch 54.50m		1	24.50			0.90		22.05		
	Ch 00.00m to Ch 30.00m		1	30.00			0.90		27.00		
	Ch 30.00m to Ch 60.00m		1	30.00			0.90		27.00		
	Ch 60.00m to Ch 90.00m		1	30.00			0.90		27.00		
	Ch 90.00m to Ch 106.00m		1	16.00			0.90		14.40		
	Ch 00.00m to Ch 30.00m		1	30.00			0.90		27.00		
	Ch 30.00m to Ch 52.20m		1	22.20			0.90		19.98		
	Ch 00.00m to Ch 25.30m		1	25.30			0.90		22.77		
	Ch 00.00m to Ch 27.20m		1	27.20			0.90		24.48		
	Ch 00.00m to Ch 26.50m		1	26.50			0.90		23.85		
	Ch 00.00m to Ch 23.80m		1	23.80			0.90		21.42		
	Ch 0.00m to Ch 30.00m **(1st cross LHS) (W14181)**		1	30.00			0.75		22.50		
	Ch 30.00m to Ch 60.50m		1	30.50			0.75		22.88		
	Ch 0.00m to Ch 30.00m **(1st cross RHS) (W1479)**		1	30.00			0.75		22.50		
	Ch 30.00m to Ch 50.50m		1	20.50			0.75		15.38		
	Ch 0.00m to Ch 30.00m **(2nd cross LHS) (W1471)**		1	30.00			0.75		22.50		
	Ch 30.00m to Ch 60.50m		1	30.50			0.75		22.88		
	Ch 0.00m to Ch 30.00m **(2nd cross RHS) (W1469)**		1	30.00			0.75		22.50		
	Ch 30.00m to Ch 47.50m		1	17.50			0.75		13.13		
	Ch 0.00m to Ch 30.00m **(3rd cross LHS) (W1463)**		1	30.00			0.75		22.50		
	Ch 30.00m to Ch 57.00m		1	17.00			0.75		12.75		
	Ch 0.00m to Ch 30.00m **(3rd cross RHS) (W1461)**		1	30.00			0.75		22.50		
	Ch 30.00m to Ch 46.00m		1	16.00			0.75		12.00		
	Ch 0.00m to Ch 30.00m **(4th cross LHS) (W1455)**		1	30.00			0.75		22.50		
	Ch 30.00m to Ch 50.20m		1	20.20			0.75		15.15		
	Ch 0.00m to Ch 30.00m **(4th cross RHS) (W1451)**		1	30.00			0.75		22.50		
	Ch 30.00m to Ch 43.50m		1	13.50			0.75		10.13		
	Ch 0.00m to Ch 30.00m **(1st sub cross) (W0998)**		1	30.00			0.75		22.50		
	Ch 30.00m to Ch 44.70m		1	14.70			0.75		11.03		
	Ch 0.00m to Ch 31.00m **(sub cross A) (W1449)**		1	31.00			0.75		23.25		
	Ch 0.00m to Ch 31.00m **(sub cross B) (W1445)**		1	31.00			0.75		23.25		
	Ch 0.00m to Ch 30.00m **(1st Main road) (W0988)**		1	30.00			0.75		22.50		
	Ch 30.00m to Ch 61.10m		1	31.10			0.75		23.33		
	Ch 0.00m to Ch 30.00m **(5th cross RHS) (W1447)**		1	30.00			0.75		22.50		
	Ch 30.00m to Ch 51.00m		1	21.00			0.75		15.75		

Scanned by TapScanner

MODIFIED ESTIMATE

Page No From To	Description of Item	Unit	No	Length (m)	Breadth B1	Breadth B2	Breadth Avg B	Depth (m)	Quantity	Rate in RS.	Amount in RS.
	Ch 0.00m to Ch 30.00m **(6th cross RHS) (W1443)**		1	30.00			0.75		22.50		
	Ch 30.00m to Ch 56.00m		1	26.00			0.75		19.50		
	Ch 0.00m to Ch 30.00m **(school road opp) (W1487)**		1	30.00			0.75		22.50		
	Ch 30.00m to Ch 60.00m		1	30.00			0.75		22.50		
	Ch 60.00m to Ch 72.00m		1	12.00			0.75		9.00		
	Connecting drain ©								0.00		
	Ch 0.00m to Ch 30.00m		1	30.00			0.90		27.00		
	Ch 30.00m to Ch 60.00m		1	30.00			0.90		27.00		
	Ch 60.00m to Ch 70.00m		1	10.00			0.90		9.00		
								Total Executed Quantity	**2749.23**	**2000.00**	**5498460.00**
								Tender Quantity	**2751.00**		
no.08	Providing and Fixing pre cast covering Slab 250mm thick made out of CC 1:2:4 and jelly 20mm Down size with steel reinforcement including form work,curing,including cost of alll materials, labour,hire charges of machinery, loading, unloading, lead and lift,transportation etc ,complete.As per Engineer incharge. (Data Rate)										
		Sqm									
	culverts										
	Balon factory road culverts(RHS) (W0992)										
	Ch 0.00m to Ch 4.00m		1	4.00			1.20		4.80		
	Ch 0.00m to Ch 4.00m		1	4.00			1.20		4.80		
	Ch 0.00m to Ch 4.00m		1	4.00			1.20		4.80		
	Ch 0.00m to Ch 4.00m		1	4.00			1.20		4.80		
	Ch 0.00m to Ch 4.00m		1	4.00			1.20		4.80		
	Ch 0.00m to Ch 4.00m		1	4.00			1.20		4.80		
	Ch 0.00m to Ch 6.50m		1	6.50			1.20		7.80		
	Ch 0.00m to Ch 4.50m		1	4.50			1.20		5.40		
	Ch 0.00m to Ch 4.50m		1	4.50			1.20		5.40		
	Ch 0.00m to Ch 5.30m		1	5.30			1.20		6.36		
	Ch 0.00m to Ch 5.50m		1	5.50			1.20		6.60		
	Ch 0.00m to Ch 5.00m		1	5.00			1.20		6.00		
	Ch 0.00m to Ch 5.20m		1	5.20			1.20		6.24		
	Ch 0.00m to Ch 5.20m		1	5.20			1.20		6.24		
	Balon factory road culverts(LHS) (W0992)										
	Ch 0.00m to Ch 4.50m		1	4.50			1.20		5.40		
	Ch 0.00m to Ch 4.50m		1	4.50			1.20		5.40		
	Ch 0.00m to Ch 4.50m		1	4.50			1.20		5.40		
	Ch 0.00m to Ch 4.90m		1	4.90			1.20		5.88		
	Ch 0.00m to Ch 4.70m		1	4.70			1.20		5.64		
	Ch 0.00m to Ch 5.80m		1	5.80			1.20		6.96		
	Ch 0.00m to Ch 5.60m		1	5.60			1.20		6.72		
	Ch 0.00m to Ch 5.90m		1	5.90			1.20		7.08		
	Ch 0.00m to Ch 5.70m		1	5.70			1.20		6.84		
	1st Main road culverts (W0988)										
	Ch 0.00m to Ch 4.50m		1	4.50			1.20		5.40		
	Ch 0.00m to Ch 4.50m		1	4.50			1.20		5.40		
	Ch 0.00m to Ch 3.90m		1	3.90			1.20		4.68		
	1st Sub cross road culverts (W0998)										
	Ch 0.00m to Ch 4.00m		1	4.00			1.20		4.80		
	Ch 0.00m to Ch 3.70m		1	3.70			1.20		4.44		
	govt school road (W1517)										
	Ch 0.00m to Ch 4.80m		1	4.80			1.20		5.76		
	Saraipalya (Connecting culvert) (W1827)										
	Ch 0.00m to Ch 5.70m		1	5.70			1.20		6.84		
	Ch 0.00m to Ch 8.30m		1	8.30			1.20		9.96		
	Masjid road culverts (W1567)										
	Ch 0.00m to Ch 6.80m (LHS)		1	6.80			1.50		10.20		
	Ch 0.00m to Ch 5.70m (LHS)		1	5.70			1.50		8.55		
	Ch 0.00m to Ch 6.90m (LHS)		1	6.90			1.50		10.35		
	Ch 0.00m to Ch 5.40m (LHS)		1	5.40			1.50		8.10		
	Ch 0.00m to Ch 5.90m (RHS)		1	5.90			1.20		7.08		
	Dasarahalli extension										
	Ch 0.00m to Ch 7.30m (Main road culvert)		1	7.30			1.50		10.95		

Scanned by TapScanner

MODIFIED ESTIMATE

ge To	Description of Item	Unit	No	Length (m)	Breadth B1	Breadth B2	Breadth Avg B	Depth (m)	Quantity	Rate in RS.	Amount in RS.
	Ch 0.00m to Ch 5.30m (2nd cross road culvert)		1	5.30			1.50		7.95		
	Ch 0.00m to Ch 6.00m (3rd cross road culvert)		1	6.00			1.50		9.00		
	Ch 0.00m to Ch 7.20m (cross culvert)		1	7.20			1.50		10.80		
	Ch 0.00m to Ch 7.20m (curve road end culvert)		1	7.20			1.50		10.80		
	School road culverts (W1779)										
	Ch 0.00m to Ch 5.60m (1st cross LHS)		1	5.60			1.20		6.72		
	Ch 0.00m to Ch 5.00m (1st cross RHS)		1	5.00			1.50		7.50		
	Ch 0.00m to Ch 5.00m (2nd cross LHS)		1	5.00			1.20		6.00		
	Ch 0.00m to Ch 5.10m (2nd cross RHS)		1	5.10			1.20		6.12		
	Ch 0.00m to Ch 5.00m (3rd cross LHS)		1	5.00			1.50		7.50		
	Ch 0.00m to Ch 5.10m (3rd cross RHS)		1	5.10			1.20		6.12		
	Ch 0.00m to Ch 5.00m (4th cross LHS)		1	5.00			1.20		6.00		
	Ch 0.00m to Ch 4.30m (4th cross RHS)		1	4.30			1.20		5.16		
	Railway men layout culverts										
	Ch 0.00m to Ch 7.60m (PG opp culvert)		1	7.60			1.20		9.12		
	Ch 0.00m to Ch 7.60m (2nd main road culvert)		1	7.60			1.50		11.40		
	Ch 0.00m to Ch 8.30m (3rd main road culvert)		1	8.30			1.50		12.45		
	Ch 0.00m to Ch 9.20m (4th main road culvert)		1	9.20			1.50		13.80		
	2nd main road inside culverts										
	Ch 0.00m to Ch 7.60m (1st cross RHS culvert)		1	7.30			1.50		10.95		
	Ch 0.00m to Ch 5.60m (2nd cross RHS culvert)		1	5.60			1.50		8.40		
	Ch 0.00m to Ch 5.10m (3rd cross RHS culvert)		1	5.10			1.50		7.65		
								Total Executed Quantity	**400.11**	**5000.00**	**2000550.00**
								Tender Quantity	**400.80**		
o.09	KSRRB M300-14. Excavation for roadwork in all types of soil by mechanical means including cutting and loading to tippers, trimming bottom and side slopes, in accordance with requirements of lines, grades and cross sections, and transportation with a lead of 1.00 km and complete as per specifications MORTH Specificatio MORTH Specification No.301Loading and unloading with 10km lead= (1 No-19.14,P No-143,KPWD SR 2018-19), 10kms lead										
		Cum									
	RACHENAHALLI (BHAGYASHREE LAYOUT)										
a)	Ch 0.00m to Ch 15.00m **(Temple road) (W0317)**		1	15.00			6.80	0.23	23.46		
	Ch 15.00m to Ch 30.00m		1	15.00			7.10	0.25	26.63		
	Ch 30.00m to Ch 45.00m		1	15.00			6.90	0.25	25.88		
	Ch 45.00m to Ch 60.00m		1	15.00			6.70	0.30	30.15		
	Ch 60.00m to Ch 75.00m		1	15.00			6.75	0.30	30.38		
	Ch 75.00m to Ch 90.00m		1	15.00			6.70	0.30	30.15		
	Ch 90.00m to Ch 105m		1	15.00			6.20	0.30	27.90		
	Ch 105.00m to Ch 120.00m		1	15.00			5.65	0.30	25.43		
	Ch 120.00m to Ch 135.00m		1	15.00			6.00	0.25	22.50		
	Ch 135.00m to Ch 150.00m		1	15.00			5.40	0.23	18.63		
	Ch 150.00m to Ch 169.60m		1	19.60			5.15	0.25	25.24		
b)	Ch 00.00m to Ch 15.00m **(2nd Main Road)**		1	15.00			6.35	0.30	28.58		
	Ch 15.00m to Ch 30.00m		1	15.00			9.25	0.30	41.63		
	Ch 30.00m to Ch 45.00m		1	15.00			8.60	0.25	32.25		
	Ch 45.00m to Ch 60.00m		1	15.00			5.05	0.25	18.94		
	Ch 60.00m to Ch 75.00m		1	15.00			4.95	0.23	17.08		
	Ch 75.00m to Ch 90.00m		1	15.00			5.10	0.30	22.95		

Scanned by TapScanner

MODIFIED ESTIMATE

ge To	Description of Item	Unit	No	Length (m)	Breadth B1	Breadth B2	Breadth Avg B	Depth (m)	Quantity	Rate in RS.	Amount in RS.
	Ch 90.00m to Ch 105.00m		1	15.00			5.05	0.30	22.73		
	Ch 105.00m to Ch 120.00m		1	15.00			6.30	0.25	23.63		
	Ch 120.00m to Ch 128.20m		1	8.20			7.00	0.25	14.35		
	Approuch		1	7.60			6.30	0.23	11.01		
c)	Ch 0.00m to Ch 15.00m **(1st cross road RHS) (W0699)**		1	15.00			6.10	0.25	22.88		
	Ch 15.00m to Ch 30.00m		1	15.00			6.10	0.30	27.45		
	Ch 30.00m to Ch 45.00m		1	15.00			6.00	0.30	27.00		
	Ch 45.00m to Ch 60.00m		1	15.00			5.50	0.25	20.63		
	Ch 60.00m to Ch 87.20m		1	27.20			5.50	0.23	34.41		
d)	Ch 0.00m to Ch 15.00m **(1st main road upto green pole) (W0460)**		1	15.00			5.80	0.35	30.45		
	Ch 15.00m to Ch 30.00m		1	15.00			5.70	0.35	29.93		
	Ch 30.00m to Ch 45.00m		1	15.00			6.15	0.30	27.68		
	Ch 45.00m to Ch 60.00m		1	15.00			6.55	0.30	29.48		
	Ch 60.00m to Ch 75.00m		1	15.00			6.40	0.25	24.00		
	Ch 75.00m to Ch 90.00m		1	15.00			6.30	0.23	21.74		
	Ch 90.00m to Ch 105.00m		1	15.00			6.40	0.25	24.00		
	Ch 105.00m to Ch 120.00m		1	15.00			6.20	0.25	23.25		
	Ch 120.00m to Ch 137.40m		1	17.40			5.90	0.30	30.80		
e)	Ch 00.00m to Ch 15.00m **(2nd cross road LHS) (W0669)**		1	15.00			4.75	0.30	21.38		
	Ch 15.00m to Ch 30.00m		1	15.00			5.00	0.25	18.75		
	Ch 30.00m to Ch 45.00m		1	15.00			5.25	0.23	18.11		
	Ch 45.00m to Ch 60.00m		1	15.00			5.35	0.23	18.46		
	Ch 60.00m to Ch 75.00m		1	15.00			4.90	0.25	18.38		
	Ch 75.00m to Ch 90.00m		1	15.00			4.65	0.30	20.93		
	Ch 90.00m to Ch 105.00m		1	15.00			4.95	0.35	25.99		
	Ch 105.00m to Ch 114.40m		1	9.40			4.90	0.35	16.12		
f)	Ch 00.00m to Ch 15.00m**(1st cross road LHS) (W0685)**		1	15.00			5.35	0.30	24.08		
	Ch 15.00m to Ch 30.00m		1	15.00			4.85	0.25	18.19		
	Ch 30.00m to Ch 45.00m		1	15.00			4.70	0.25	17.63		
	Ch 45.00m to Ch 60.00m		1	15.00			4.75	0.23	16.39		
	Ch 60.00m to Ch 75.00m		1	15.00			4.50	0.25	16.88		
	Ch 75.00m to Ch 90.00m		1	15.00			4.55	0.25	17.06		
	Ch 90.00m to Ch 105.00m		1	15.00			4.80	0.30	21.60		
	Ch 105.00m to Ch 115.40m		1	10.40			5.05	0.35	18.38		
g)	Ch 0.00m to Ch 15.00m **(4th cross road RHS) (W0669)**		1	15.00			5.45	0.30	24.53		
	Ch 15.00m to Ch 30.00m		1	15.00			5.55	0.30	24.98		
	Ch 30.00m to Ch 45.00m		1	15.00			5.45	0.25	20.44		
	Ch 45.00m to Ch 60.00m		1	15.00			5.00	0.25	18.75		
	Ch 60.00m to Ch 78.90m		1	18.90			5.25	0.23	22.82		
h)	Ch 0.00m to Ch 15.00m **(3rd cross road RHS) (W0683)**		1	15.00			6.00	0.25	22.50		
	Ch 15.00m to Ch 30.00m		1	15.00			5.65	0.25	21.19		
	Ch 30.00m to Ch 45.00m		1	15.00			6.15	0.30	27.68		
	Ch 45.00m to Ch 60.00m		1	15.00			6.05	0.30	27.23		
	Ch 60.00m to Ch 75.00m		1	15.00			5.80	0.35	30.45		
	Ch 75.00m to Ch 90.00m		1	15.00			5.95	0.35	31.24		
	Ch 90.00m to Ch 100.00m		1	10.00			5.90	0.30	17.70		
i)	Ch 00.00m to Ch 15.00m**(2nd cross road RHS) (W0691)**		1	15.00			6.05	0.30	27.23		
	Ch 15.00m to Ch 30.00m		1	15.00			5.55	0.30	24.98		
	Ch 30.00m to Ch 45.00m		1	15.00			5.55	0.30	24.98		
	Ch 45.00m to Ch 60.00m		1	15.00			5.60	0.25	21.00		
	Ch 60.00m to Ch 75.00m		1	15.00			5.15	0.25	19.31		
	Ch 75.00m to Ch 90.00m		1	15.00			5.60	0.23	19.32		
j)	Ch 00.00m to Ch 15.00m **(Durgamba Road)**		1	15.00			5.20	0.30	23.40		
	Ch 15.00m to Ch 30.00m		1	15.00			5.50	0.30	24.75		
	Ch 30.00m to Ch 45.00m		1	15.00			4.70	0.30	21.15		
	Ch 45.00m to Ch 60.00m		1	15.00			4.90	0.25	18.38		
	Ch 60.00m to Ch 75.00m		1	15.00			4.80	0.23	16.56		
	Ch 75.00m to Ch 90.00m		1	15.00			5.00	0.25	18.75		
	Ch 90.00m to Ch 105.00m		1	15.00			4.90	0.25	18.38		
	Ch 105.00m to Ch 120.00m		1	15.00			4.90	0.30	22.05		

Scanned by TapScanner

MODIFIED ESTIMATE

Page No	Description of Item	Unit	No	Length (m)	Breadth B1	Breadth B2	Breadth Avg B	Depth (m)	Quantity	Rate in RS.	Amount in RS.
	Ch 120.00m to Ch 135.00m		1	15.00			4.90	0.25	18.38		
	Ch 135.00m to Ch 150.00m		1	15.00			5.40	0.30	24.30		
	Ch 150.00m to Ch 162.00m		1	12.00			5.50	0.25	16.50		
	Ch 90.00m to Ch 108.80m		1	18.80			5.95	0.25	27.97		
k)	Ch 00.00m to Ch 15.00m **(Bakery Road upto 8th cross Road)**		1	15.00			5.20	0.30	23.40		
	Ch 15.00m to Ch 30.00m		1	15.00			5.50	0.30	24.75		
	Ch 30.00m to Ch 45.00m		1	15.00			4.70	0.30	21.15		
	Ch 45.00m to Ch 60.00m		1	15.00			5.30	0.25	19.88		
	Ch 60.00m to Ch 75.00m		1	15.00			5.40	0.30	24.30		
	Ch 75.00m to Ch 90.00m		1	15.00			5.10	0.30	22.95		
	Ch 90.00m to Ch 105.00m		1	15.00			5.40	0.25	20.25		
	Ch 105.00m to Ch 1120.00m		1	15.00			4.70	0.30	21.15		
	Ch 120.00m to Ch 135.00m		1	15.00			4.80	0.25	18.00		
	Ch 135.00m to Ch 150.00m		1	15.00			4.90	0.35	25.73		
	Ch 150.00m to Ch 165.00m		1	15.00			5.20	0.35	27.30		
	Ch 165.00m to Ch 180.00m		1	15.00			5.30	0.30	23.85		
	Ch 180.00m to Ch 195.00m		1	15.00			4.70	0.30	21.15		
	Ch 195.00m to Ch 210.00m		1	15.00			4.80	0.25	18.00		
	Ch 210.00m to Ch 225.00m		1	15.00			4.90	0.25	18.38		
	Ch 225.00m to Ch 240.00m		1	15.00			5.50	0.23	18.98		
	Ch 240.00m to Ch 255.00m		1	15.00			5.60	0.25	21.00		
	Ch 255.00m to Ch 270.00m		1	15.00			5.20	0.30	23.40		
	Ch 270.00m to Ch 285.00m		1	15.00			5.80	0.30	26.10		
	Ch 285.00m to Ch 300.00m		1	15.00			4.60	0.25	17.25		
	Ch 300.00m to Ch 315.00m		1	15.00			6.70	0.30	30.15		
	Ch 315.00m to Ch 330.00m		1	15.00			6.90	0.30	31.05		
	Ch 330.00m to Ch 345.00m		1	15.00			7.20	0.25	27.00		
	Ch 345.00m to Ch 360.00m		1	15.00			7.30	0.23	25.19		
	Ch 360.00m to Ch 375.00m		1	15.00			6.40	0.25	24.00		
	Ch 375.00m to Ch 390.00m		1	15.00			6.60	0.30	29.70		
	Ch 390.00m to Ch 405.00m		1	15.00			6.70	0.30	30.15		
	RAILWAY MEN LAYOUT										
a)	Ch 00.00m to Ch 15.00m**(1st main road) (W0188)**		1	15.00			6.80	0.30	30.60		
	Ch 15.00m to Ch 30.00m		1	15.00			6.25	0.30	28.13		
	Ch 30.00m to Ch 45.00m		1	15.00			5.55	0.30	24.98		
	Ch 45.00m to Ch 60.00m		1	15.00			5.50	0.30	24.75		
	Ch 60.00m to Ch 75.00m		1	15.00			5.25	0.30	23.63		
	Ch 75.00m to Ch 90.00m		1	15.00			5.05	0.25	18.94		
	Ch 90.00m to Ch 110.00m		1	20.00			5.05	0.25	25.25		
b)	Ch 0.00m to Ch 31.20m **(1st Sub Cross Rd)**		1	15.00			5.80	0.25	21.75		
	Ch 15.00m to Ch 31.20m		1	16.20			5.80	0.25	23.49		
c)	Ch 0.00m to Ch 15.00m **(2nd main Road) (W0190)**		1	15.00			5.00	0.23	17.25		
	Ch 15.00m to Ch 30.00m		1	15.00			5.40	0.23	18.63		
	Ch 30.00m to Ch 45.00m		1	15.00			5.90	0.25	22.13		
	Ch 45.00m to Ch 60.00m		1	15.00			6.25	0.30	28.13		
	Ch 60.00m to Ch 75.00m		1	15.00			5.85	0.30	26.33		
	Ch 75.00m to Ch 90.00m		1	15.00			5.35	0.35	28.09		
	Ch 90.00m to Ch 105.00m		1	15.00			5.90	0.30	26.55		
	Ch 105.00m to Ch 120.00m		1	15.00			6.60	0.35	34.65		
	Ch 120.00m to Ch 135.00m		1	15.00			6.60	0.30	29.70		
	Ch 135.00m to Ch 150.00m		1	15.00			6.45	0.30	29.03		
	Ch 150.00m to Ch 165.00m		1	15.00			6.65	0.30	29.93		
	Ch 165.00m to Ch 180.00m		1	15.00			6.85	0.30	30.83		
	Ch 180.00m to Ch 195.00m		1	15.00			6.70	0.30	30.15		
	Ch 195.00m to Ch 210.00m		1	15.00			6.30	0.30	28.35		
	Ch 210.00m to Ch 237.00m		1	27.00			6.05	0.25	40.84		
d)	Ch 0.00m to Ch 15.00m **(3rd main road) (W0194)**		1	15.00			6.30	0.23	21.74		
	Ch 15.00m to Ch 30.00m		1	15.00			6.45	0.23	22.25		
	Ch 30.00m to Ch 45.00m		1	15.00			6.55	0.25	24.56		
	Ch 45.00m to Ch 60.00m		1	15.00			6.55	0.25	24.56		
	Ch 60.00m to Ch 75.00m		1	15.00			6.70	0.23	23.12		
	Ch 75.00m to Ch 90.00m		1	15.00			6.85	0.30	30.83		
	Ch 90.00m to Ch 105.00m		1	15.00			6.85	0.30	30.83		

Scanned by TapScanner

MODIFIED ESTIMATE

ge To	Description of Item	Unit	No	Length (m)	Breadth B1	Breadth B2	Breadth Avg B	Depth (m)	Quantity	Rate in RS.	Amount in RS.
	Ch 105.00m to Ch 120.00m		1	15.00			6.80	0.30	30.60		
	Ch 120.00m to Ch 135.00m		1	15.00			6.60	0.30	29.70		
	Ch 135.00m to Ch 156.30m		1	21.30			6.20	0.30	39.62		
e)	Ch 0.00m to Ch 15.00m **(4th main road) (W0200)**		1	15.00			6.40	0.30	28.80		
	Ch 15.00m to Ch 30.00m		1	15.00			6.55	0.25	24.56		
	Ch 30.00m to Ch 45.00m		1	15.00			6.70	0.25	25.13		
	Ch 45.00m to Ch 70.00m		1	25.00			6.80	0.25	42.50		
f)	Ch 0.00m to Ch 15.00m **(5th main road) (W0254)**		1	15.00			7.10	0.23	24.50		
	Ch 15.00m to Ch 30.00m		1	15.00			6.75	0.23	23.29		
	Ch 30.00m to Ch 45.00m		1	15.00			6.25	0.25	23.44		
	Ch 45.00m to Ch 60.00m		1	15.00			6.45	0.25	24.19		
	Ch 60.00m to Ch 75.00m		1	15.00			6.85	0.23	23.63		
	Ch 75.00m to Ch 90.00m		1	15.00			6.80	0.30	30.60		
	Ch 90.00m to Ch 105.00m		1	15.00			6.75	0.30	30.38		
	Ch 105.00m to Ch 120.00m		1	15.00			6.45	0.30	29.03		
	Ch 120.00m to Ch 135.00m		1	15.00			6.05	0.30	27.23		
	Ch 135.00m to Ch 150.00m		1	15.00			5.85	0.25	21.94		
	Ch 150.00m to Ch 165.00m		1	15.00			5.85	0.25	21.94		
	Ch 165.00m to Ch 180.00m		1	15.00			5.70	0.30	25.65		
	Ch 180.00m to Ch 195.00m		1	15.00			5.55	0.30	24.98		
	Ch 195.00m to Ch 210.00m		1	15.00			5.45	0.30	24.53		
	Ch 210.00m to Ch 225.00m		1	15.00			5.20	0.30	23.40		
	Ch 225.00m to Ch 240.00m		1	15.00			4.95	0.30	22.28		
	Ch 240.00m to Ch 255.00m		1	15.00			4.85	0.30	21.83		
	Ch 255.00m to Ch 276.00m		1	21.00			4.65	0.30	29.30		
	WAJID LAYOUT (W0264)										
	Ch 0.00m to Ch 15.00m		1	15.00			7.10	0.30	31.95		
	Ch 15.00m to Ch 30.00m		1	15.00			6.60	0.30	29.70		
	Ch 30.00m to Ch 45.00m		1	15.00			6.30	0.30	28.35		
	Ch 45.00m to Ch 60.00m		1	15.00			6.60	0.30	29.70		
	Ch 60.00m to Ch 75.00m		1	15.00			6.90	0.30	31.05		
	Ch 75.00m to Ch 90.00m		1	15.00			7.10	0.30	31.95		
	Ch 90.00m to Ch 105.00m		1	15.00			7.15	0.25	26.81		
	Ch 105.00m to Ch 120.00m		1	15.00			7.10	0.25	26.63		
	Ch 120.00m to Ch 135.00m		1	15.00			7.15	0.25	26.81		
	Ch 135.00m to Ch 150.00m		1	15.00			7.05	0.25	26.44		
	Ch 150.00m to Ch 165.00m		1	15.00			6.95	0.23	23.98		
	Ch 165.00m to Ch 180.00m		1	15.00			6.80	0.23	23.46		
	Ch 180.00m to Ch 195.00m		1	15.00			6.65	0.35	34.91		
	Ch 195.00m to Ch 210.00m		1	15.00			6.25	0.35	32.81		
	Ch 210.00m to Ch 225.00m		1	15.00			5.75	0.30	25.88		
	Ch 225.00m to Ch 240.00m		1	15.00			6.05	0.30	27.23		
	Ch 240.00m to Ch 255.00m		1	15.00			6.35	0.30	28.58		
	Ch 255.00m to Ch 270.00m		1	15.00			6.30	0.30	28.35		
	RACHENAHALLI (ANJANADRI LAYOUT)										
a)	Ch 0.00m to Ch 15.00m **(1st cross road LHS & RHS) (W1189)**		1	15.00			4.25	0.30	19.13		
	Ch 15.00m to Ch 30.00m		1	15.00			4.60	0.30	20.70		
	Ch 30.00m to Ch 45.00m		1	15.00			4.50	0.30	20.25		
	Ch 45.00m to Ch 60.00m		1	15.00			4.30	0.30	19.35		
	Ch 60.00m to Ch 75.00m		1	15.00			4.70	0.30	21.15		
	Ch 75.00m to Ch 90.00m		1	15.00			4.45	0.30	20.03		
	Ch 90.00m to Ch 102.70m		1	12.70			3.90	0.25	12.38		
b)	Ch 0.00m to Ch 15.00m **(2nd cross road LHS) (W1179)**		1	15.00			4.10	0.25	15.38		
	Ch 15.00m to Ch 30.00m		1	15.00			4.25	0.23	14.66		
	Ch 30.00m to Ch 45.00m		1	15.00			4.55	0.23	15.70		
	Ch 45.00m to Ch 68.40m		1	23.40			4.55	0.25	26.62		
c)	Ch 0.00m to Ch 15.00m **(2nd cross road RHS)**		1	15.00			4.15	0.25	15.56		
	Ch 15.00m to Ch 30.00m		1	15.00			4.50	0.25	16.88		
	Ch 30.00m to Ch 40.20m		1	10.20			4.65	0.30	14.23		
d)	Ch 0.00m to Ch 15.00m **(3rd cross road LHS) (W1169)**		1	15.00			4.85	0.30	21.83		
	Ch 15.00m to Ch 30.00m		1	15.00			4.75	0.30	21.38		

Scanned by TapScanner

MODIFIED ESTIMATE

e To	Description of Item	Unit	No	Length (m)	Breadth B1	Breadth B2	Breadth Avg B	Depth (m)	Quantity	Rate in RS.	Amount in RS.
	Ch 30.00m to Ch 45.00m		1	15.00			4.80	0.30	21.60		
	Ch 45.00m to Ch 60.00m		1	15.00			4.70	0.30	21.15		
	Ch 60.00m to Ch 72.60m		1	12.60			4.75	0.35	20.95		
e)	Ch 0.00m to Ch 15.00m **(3rd cross road RHS)**		1	15.00			5.50	0.35	28.88		
	Ch 15.00m to Ch 30.00m		1	15.00			5.10	0.30	22.95		
	Ch 30.00m to Ch 37.00m		1	7.00			4.80	0.30	10.08		
f)	Ch 0.00m to Ch 15.00m **(4th cross road LHS) (W1159)**		1	15.00			4.80	0.25	18.00		
	Ch 15.00m to Ch 30.00m		1	15.00			4.80	0.25	18.00		
	Ch 30.00m to Ch 45.00m		1	15.00			4.75	0.25	17.81		
	Ch 45.00m to Ch 60.00m		1	15.00			5.10	0.23	17.60		
	Ch 60.00m to Ch 72.40m		1	12.40			4.90	0.23	13.97		
g)	Ch 0.00m to Ch 15.00m **(4th cross road RHS)**		1	15.00			4.60	0.23	15.87		
	Ch 15.00m to Ch 30.00m		1	15.00			4.80	0.25	18.00		
	Ch 30.00m to Ch 42.00m		1	12.00			3.95	0.25	11.85		
h)	Ch 0.00m to Ch 15.00m **(5th cross road LHS) (W1151)**		1	15.00			4.20	0.25	15.75		
	Ch 15.00m to Ch 30.00m		1	15.00			4.30	0.30	19.35		
	Ch 30.00m to Ch 45.00m		1	15.00			4.65	0.30	20.93		
	Ch 45.00m to Ch 60.00m		1	15.00			4.75	0.30	21.38		
	Ch 60.00m to Ch 70.70m		1	10.70			4.45	0.30	14.28		
i)	Ch 0.00m to Ch 15.00m **(5th cross road RHS)**		1	15.00			4.45	0.30	20.03		
	Ch 15.00m to Ch 30.00m		1	15.00			4.35	0.30	19.58		
	Ch 30.00m to Ch 38.20m		1	8.20			3.95	0.30	9.72		
j)	Ch 0.00m to Ch 15.00m **(6th cross road LHS) (W1147)**		1	15.00			3.40	0.35	17.85		
	Ch 15.00m to Ch 30.00m		1	15.00			3.05	0.30	13.73		
	Ch 30.00m to Ch 38.80m		1	8.80			3.10	0.30	8.18		
k)	Ch 0.00m to Ch 15.00m **(6th cross road RHS)**		1	15.00			5.05	0.25	18.94		
	Ch 15.00m to Ch 30.00m		1	15.00			5.35	0.23	18.46		
	Ch 30.00m to Ch 45.00m		1	15.00			5.15	0.23	17.77		
	MAIN ROAD LEFT										
l)	Ch 0.00m to Ch 15.00m **(7th Cross road)**		1	15.00			3.40	0.30	15.30		
	Ch 15.00m to Ch 30.00m		1	15.00			3.55	0.30	15.98		
	Ch 30.00m to Ch 45.00m		1	15.00			3.55	0.25	13.31		
	Ch 45.00m to Ch 55.20m		1	10.20			3.55	0.30	10.86		
m)	Ch 0.00m to Ch 15.00m **(8th Cross road)**		1	15.00			6.20	0.30	27.90		
	Ch 15.00m to Ch 30.00m		1	15.00			6.20	0.30	27.90		
	Ch 30.00m to Ch 45.00m		1	15.00			5.30	0.30	23.85		
	Ch 45.00m to Ch 60.00m		1	15.00			4.50	0.25	16.88		
	Ch 60.00m to Ch 68.20m		1	8.20			4.15	0.25	8.51		
n)	Ch 0.00m to Ch 15.00m **(1st sub road)**		1	15.00			5.20	0.25	19.50		
	Ch 15.00m to Ch 30.00m		1	15.00			5.15	0.23	17.77		
o)	Ch 0.00m to Ch 15.00m **(2nd sub road)**		1	15.00			4.85	0.23	16.73		
	Ch 15.00m to Ch 31.20m		1	16.20			5.65	0.25	22.88		
	Dasarahalli extension										
	Ch 00.00m to Ch 15.00m **(Main road) (W0300)**		1	15.00			6.50	0.30	29.25		
	Ch 15.00m to Ch 30.00m		1	15.00			6.75	0.30	30.38		
	Ch 30.00m to Ch 45.00m		1	15.00			6.85	0.30	30.83		
	Ch 45.00m to Ch 60.00m		1	15.00			6.90	0.25	25.88		
	Ch 60.00m to Ch 75.00m		1	15.00			6.75	0.30	30.38		
	Ch 75.00m to Ch 90.00m		1	15.00			6.75	0.30	30.38		
	Ch 90.00m to Ch 105.00m		1	15.00			6.75	0.25	25.31		
	Ch 105.00m to Ch 120.00m		1	15.00			6.70	0.30	30.15		
	Ch 120.00m to Ch 135.00m		1	15.00			6.75	0.25	25.31		
	Ch 135.00m to Ch 150.00m		1	15.00			6.55	0.35	34.39		
	Ch 00.00m to Ch 15.00m **(3rd cross road) (W0587)**		1	15.00			5.10	0.30	22.95		

Scanned by TapScanner

MODIFIED ESTIMATE

ge No	Description of Item	Unit	No	Length (m)	Breadth B1	Breadth B2	Breadth Avg B	Depth (m)	Quantity	Rate in RS.	Amount in RS.
	Ch 15.00m to Ch 30.00m		1	15.00			5.05	0.30	22.73		
	Ch 30.00m to Ch 45.00m		1	15.00			5.00	0.30	22.50		
	Ch 45.00m to Ch 60.00m		1	15.00			4.95	0.25	18.56		
	Ch 60.00m to Ch 75.00m		1	15.00			5.05	0.30	22.73		
	Ch 75.00m to Ch 90.00m		1	15.00			5.05	0.30	22.73		
	Ch 90.00m to Ch 105.00m		1	15.00			5.20	0.25	19.50		
	Ch 105.00m to Ch 120.00m		1	15.00			5.30	0.30	23.85		
	Ch 120.00m to Ch 135.60m		1	15.60			5.60	0.25	21.84		
	Ch 00.00m to Ch 15.00m **(Curve road) (W0316)**		1	15.00			8.25	0.30	37.13		
	Ch 15.00m to Ch 26.30m		1	11.30			8.45	0.30	28.65		
	Ch 00.00m to Ch 15.00m		1	15.00			6.60	0.30	29.70		
	Ch 15.00m to Ch 30.00m		1	15.00			6.60	0.30	29.70		
	Ch 30.00m to Ch 45.00m		1	15.00			6.60	0.30	29.70		
	Ch 45.00m to Ch 65.00m		1	20.00			6.60	0.25	33.00		
	Ch 00.00m to Ch 15.00m		1	15.00			6.15	0.30	27.68		
	Ch 15.00m to Ch 30.00m		1	15.00			6.30	0.30	28.35		
	Ch 30.00m to Ch 45.00m		1	15.00			6.15	0.30	27.68		
	Ch 45.00m to Ch 60.00m		1	15.00			6.15	0.25	23.06		
	Ch 60.00m to Ch 69.30m		1	15.00			5.65	0.30	25.43		
	Ch 00.00m to Ch 15.00m **(2nd cross road) (W0585)**		1	15.00			5.10	0.30	22.95		
	Ch 15.00m to Ch 30.00m		1	15.00			5.05	0.30	22.73		
	Ch 30.00m to Ch 42.00m		1	12.00			5.00	0.30	18.00		
	Railway men layout										
	Ch 00.00m to Ch 15.00m **(Temple road) (W0188)**		1	15.00			6.30	0.30	28.35		
	Ch 15.00m to Ch 30.00m		1	15.00			6.00	0.25	22.50		
	Ch 30.00m to Ch 46.80m		1	16.80			5.05	0.30	25.45		
	Ch 00.00m to Ch 14.50m (Approach)		1	14.50			5.10	0.25	18.49		
	Ch 00.00m to Ch 19.50m **(2nd cross road)**		1	19.50			4.20	0.25	20.48		
	Ch 00.00m to Ch 15.00m **(3rd cross road)**		1	15.00			4.10	0.30	18.45		
	Ch 15.00m to Ch 22.30m		1	7.30			4.20	0.30	9.20		
	Vidya sagar roads										
	Ch 00.00m to Ch 15.00m **(2nd cross road) (W1172)**		1	15.00			5.95	0.30	26.78		
	Ch 15.00m to Ch 30.60m		1	15.60			6.05	0.25	23.60		
	Ch 00.00m to Ch 16.60m **(1st cross road) (W1168)**		1	16.60			4.45	0.30	22.16		
	Ch 00.00m to Ch 15.00m **(1st main road LHS) (W1487)**		1	15.00			4.55	0.30	20.48		
	Ch 15.00m to Ch 30.00m		1	15.00			4.40	0.25	16.50		
	Ch 30.00m to Ch 45.00m		1	15.00			4.65	0.25	17.44		
	Ch 45.00m to Ch 60.00m		1	15.00			4.90	0.25	18.38		
	Ch 60.00m to Ch 72.60m		1	12.60			4.70	0.25	14.81		
	Sawmill cross roads										
	Ch 00.00m to Ch 15.00m **(7th cross LHS) (W1547)**		1	15.00			5.80	0.30	26.10		
	Ch 15.00m to Ch 33.50m		1	18.50			5.80	0.25	26.83		
	Ch 00.00m to Ch 15.00m **(9th cross RHS) (W1539)**		1	15.00			5.95	0.30	26.78		
	Ch 15.00m to Ch 22.80m		1	7.80			5.85	0.25	11.41		
	Ch 00.00m to Ch 15.00m **(4th cross RHS) (W1509)**		1	15.00			4.10	0.30	18.45		
	Ch 15.00m to Ch 30.00m		1	15.00			4.85	0.25	18.19		
	Ch 30.00m to Ch 45.00m		1	15.00			5.10	0.25	19.13		
	Ch 45.00m to Ch 60.00m		1	15.00			5.20	0.25	19.50		
	Ch 60.00m to Ch 80.20m		1	20.20			5.15	0.25	26.01		
	Ch 00.00m to Ch 15.00m **(3rd cross RHS) (W1507)**		1	15.00			5.15	0.30	23.18		
	Ch 15.00m to Ch 30.00m		1	15.00			4.65	0.25	17.44		
	Ch 30.00m to Ch 45.00m		1	15.00			4.80	0.25	18.00		
	Ch 45.00m to Ch 64.30m		1	19.30			4.75	0.25	22.92		
	Ch 00.00m to Ch 15.00m **(2nd cross RHS) (W1495)**		1	15.00			7.65	0.30	34.43		

Scanned by TapScanner

MODIFIED ESTIMATE

e To	Description of Item	Unit	No	Length (m)	Breadth B1	Breadth B2	Breadth Avg B	Depth (m)	Quantity	Rate in RS.	Amount in RS.
	Ch 15.00m to Ch 26.70m		1	11.70			7.60	0.25	22.23		
	Ch 00.00m to Ch 15.00m **(1st sub cross LHS) (W1042)**		1	15.00			5.20	0.30	23.40		
	Ch 15.00m to Ch 30.00m		1	15.00			5.45	0.25	20.44		
	Ch 30.00m to Ch 45.00m		1	15.00			5.60	0.25	21.00		
	Ch 45.00m to Ch 60.00m		1	15.00			5.55	0.25	20.81		
	Ch 60.00m to Ch 74.60m		1	14.60			6.10	0.25	22.27		
	Ch 00.00m to Ch 15.00m **(2nd sub cross LHS) (W1038)**		1	15.00			6.00	0.30	27.00		
	Ch 15.00m to Ch 30.00m		1	15.00			5.35	0.25	20.06		
	Ch 30.00m to Ch 45.00m		1	15.00			5.35	0.25	20.06		
	Ch 45.00m to Ch 60.00m		1	15.00			5.45	0.25	20.44		
	Ch 60.00m to Ch 75.00m		1	15.00			5.50	0.25	20.63		
	Ch 75.00m to Ch 84.40m		1	9.40			5.60	0.25	13.16		
	Dasarahalli										
	Maruthi layout										
	Ch 00.00m to Ch 15.00m **(1st cross) (RHS) (W0571)**		1	15.00			5.30	0.15	11.93		
	Ch 15.00m to Ch 30.00m		1	15.00			5.15	0.15	11.59		
	Ch 30.00m to Ch 45.00m		1	15.00			5.00	0.15	11.25		
	Ch 45.00m to Ch 53.00m		1	8.00			4.30	0.15	5.16		
	Ch 00.00m to Ch 15.00m **(1st cross) (LHS) (W0573)**		1	15.00			5.50	0.10	8.25		
	Ch 15.00m to Ch 30.00m		1	15.00			5.50	0.15	12.38		
	Ch 30.00m to Ch 40.00m		1	10.00			5.50	0.15	8.25		
	Ch 00.00m to Ch 15.00m **(2nd cross) (LHS) (W0569)**		1	15.00			5.70	0.10	8.55		
	Ch 15.00m to Ch 30.00m		1	15.00			5.60	0.15	12.60		
	Ch 30.00m to Ch 45.00m		1	15.00			5.50	0.10	8.25		
	Ch 45.00m to Ch 60.00m		1	15.00			5.20	0.10	7.80		
	Ch 60.00m to Ch 68.00m		1	8.00			6.20	0.15	7.44		
	Ch 00.00m to Ch 15.00m **(3rd A cross road) (LHS) (W0565)**		1	15.00			5.00	0.15	11.25		
	Ch 15.00m to Ch 30.00m		1	15.00			4.75	0.10	7.13		
	Ch 30.00m to Ch 45.00m		1	15.00			4.25	0.10	6.38		
	Ch 45.00m to Ch 60.00m		1	15.00			4.15	0.15	9.34		
	Ch 60.00m to Ch 75.00m		1	15.00			4.35	0.10	6.53		
	Ch 75.00m to Ch 90.00m		1	15.00			4.65	0.10	6.98		
	Ch 00.00m to Ch 15.00m **(3rd cross) (RHS) (W0561)**		1	15.00			5.80	0.15	13.05		
	Ch 15.00m to Ch 30.00m		1	15.00			6.80	0.15	15.30		
	Ch 30.00m to Ch 45.00m		1	15.00			6.40	0.10	9.60		
	Ch 45.00m to Ch 60.00m		1	15.00			5.80	0.10	8.70		
	Ch 60.00m to Ch 75.00m		1	15.00			5.60	0.15	12.60		
	Ch 75.00m to Ch 80.50m		1	5.50			4.60	0.15	3.80		
	Ch 00.00m to Ch 15.00m **(4th cross) (RHS) (W0555)**		1	15.00			5.30	0.15	11.93		
	Ch 15.00m to Ch 30.00m		1	15.00			5.10	0.10	7.65		
	Ch 30.00m to Ch 45.00m		1	15.00			5.10	0.10	7.65		
	Ch 45.00m to Ch 56.30m		1	11.30			4.40	0.10	4.97		
	Ch 00.00m to Ch 15.00m **(4th cross) (LHS) (W0557)**		1	15.00			5.05	0.15	11.36		
	Ch 15.00m to Ch 30.00m		1	15.00			5.25	0.10	7.88		
	Ch 30.00m to Ch 45.00m		1	15.00			5.35	0.15	12.04		
	Ch 45.00m to Ch 60.00m		1	15.00			5.35	0.10	8.03		
	Ch 60.00m to Ch 75.00m		1	15.00			5.30	0.10	7.95		
	Ch 75.00m to Ch 90.00m		1	15.00			5.15	0.10	7.73		
	Ch 90.00m to Ch 100.00m		1	10.00			5.25	0.15	7.88		
	Ch 00.00m to Ch 15.00m **(5th cross) (RHS) (W0545)**		1	15.00			5.10	0.10	7.65		
	Ch 15.00m to Ch 30.00m		1	15.00			5.20	0.10	7.80		
	Ch 30.00m to Ch 45.00m		1	15.00			5.70	0.15	12.83		
	Ch 45.00m to Ch 60.00m		1	15.00			5.95	0.10	8.93		
	Ch 60.00m to Ch 75.00m		1	15.00			5.30	0.10	7.95		
	Ch 75.00m to Ch 90.00m		1	15.00			5.30	0.15	11.93		
	Ch 90.00m to Ch 105.00m		1	15.00			5.70	0.10	8.55		
	Ch 105.00m to Ch 120.00m		1	15.00			5.15	0.10	7.73		

Scanned by TapScanner

MODIFIED ESTIMATE

	Description of Item	Unit	No	Length	Breadth			Depth	Quantity	Rate in	Amount in
				(m)	B1	B2	Avg B	(m)		RS.	RS.
	Ch 120.00m to Ch 124.30m		1	4.30			5.20	0.15	3.35		
	Ch 00.00m to Ch 15.00m **(6th cross) (RHS) (W0547)**		1	15.00			5.00	0.10	7.50		
	Ch 15.00m to Ch 33.00m		1	18.00			4.45	0.10	8.01		
	Ch 00.00m to Ch 15.00m **(7th cross) (RHS) (W0541)**		1	15.00			4.35	0.10	6.53		
	Ch 15.00m to Ch 30.00m		1	15.00			4.65	0.15	10.46		
	Sub cross roads on 12th cross road RHS										
	Ch 00.00m to Ch 15.00m **(6th sub cross)**		1	15.00			6.80	0.15	15.30		
	Ch 15.00m to Ch 30.00m		1	15.00			6.75	0.10	10.13		
	Ch 30.00m to Ch 47.00m		1	17.00			6.15	0.10	10.46		
	Ch 00.00m to Ch 15.00m **(5th sub cross)**		1	15.00			5.85	0.15	13.16		
	Ch 15.00m to Ch 30.00m		1	15.00			5.75	0.10	8.63		
	Ch 30.00m to Ch 46.00m		1	16.00			5.50	0.10	8.80		
	Ch 00.00m to Ch 15.00m **(4th sub cross)**		1	15.00			6.20	0.10	9.30		
	Ch 15.00m to Ch 30.00m		1	15.00			6.25	0.15	14.06		
	Ch 30.00m to Ch 46.00m		1	16.00			6.20	0.15	14.88		
	Ch 00.00m to Ch 15.00m **(3rd sub cross)**		1	15.00			5.85	0.10	8.78		
	Ch 15.00m to Ch 30.00m		1	15.00			5.50	0.10	8.25		
	Ch 30.00m to Ch 45.20m		1	15.20			5.25	0.15	11.97		
	Ch 00.00m to Ch 15.00m **(2rd sub cross)**		1	15.00			6.15	0.15	13.84		
	Ch 15.00m to Ch 30.00m		1	15.00			6.10	0.10	9.15		
	Ch 30.00m to Ch 43.20m		1	13.20			5.85	0.15	11.58		
	Ch 00.00m to Ch 15.00m **(1st sub cross)**		1	15.00			6.05	0.10	9.08		
	Ch 15.00m to Ch 30.00m		1	15.00			6.20	0.15	13.95		
	Ch 30.00m to Ch 45.50m		1	15.50			6.35	0.10	9.84		
	Ch 00.00m to Ch 15.00m **(14th cross) (RHS) (W0487)**		1	15.00			5.55	0.15	12.49		
	Ch 15.00m to Ch 30.00m		1	15.00			5.55	0.10	8.33		
	Ch 30.00m to Ch 45.00m		1	15.00			5.45	0.10	8.18		
	Ch 45.00m to Ch 60.00m		1	15.00			5.25	0.10	7.88		
	Ch 60.00m to Ch 75.00m		1	15.00			5.20	0.10	7.80		
	Ch 75.00m to Ch 90.00m		1	15.00			5.30	0.10	7.95		
	Ch 90.00m to Ch 105.00m		1	15.00			5.25	0.15	11.81		
	Ch 105.00m to Ch 120.00m		1	15.00			5.55	0.10	8.33		
	Ch 120.00m to Ch 135.00m		1	15.00			5.85	0.10	8.78		
	Ch 00.00m to Ch 15.00m **(7th cross (LHS)) (W0531) or Kisan kraft road**		1	15.00			6.15	0.15	13.84		
	Ch 15.00m to Ch 30.00m		1	15.00			6.00	0.15	13.50		
	Ch 30.00m to Ch 45.00m		1	15.00			5.85	0.10	8.78		
	Ch 45.00m to Ch 60.00m		1	15.00			5.90	0.10	8.85		
	Ch 60.00m to Ch 75.00m		1	15.00			5.95	0.15	13.39		
	Ch 75.00m to Ch 90.00m		1	15.00			6.60	0.15	14.85		
	Ch 90.00m to Ch 105.00m		1	15.00			7.35	0.10	11.03		
	Ch 105.00m to Ch 120.00m		1	15.00			7.90	0.10	11.85		
	Ch 120.00m to Ch 135.00m		1	15.00			8.45	0.10	12.68		
	Ch 135.00m to Ch 150.00m		1	15.00			8.50	0.15	9.18		
	Ch 150.00m to Ch 157.20m		1	7.20			5.20	0.10	7.80		
	Ch 00.00m to Ch 15.00m **(Iqbal residence road) (W0354) cross road on 7th cross road**		1	15.00			5.40	0.15	12.15		
	Ch 15.00m to Ch 30.00m		1	15.00			5.75	0.10	8.63		
	Ch 30.00m to Ch 45.00m		1	15.00			5.50	0.15	12.38		
	Ch 45.00m to Ch 60.00m		1	15.00			5.50	0.10	8.25		
	Ch 60.00m to Ch 75.00m		1	15.00			5.90	0.15	13.28		
	Ch 75.00m to Ch 90.00m										
	Sub cross roads on 7th A cross road										
	Ch 00.00m to Ch 15.00m **(1st sub cross road)(RHS) (W0505)**		1	15.00			5.05	0.15	11.36		

Scanned by TapScanner

MODIFIED ESTIMATE

	Description of Item	Unit	No	Length (m)	Breadth B1	Breadth B2	Breadth Avg B	Depth (m)	Quantity	Rate in RS.	Amount in RS.
o											
	Ch 15.00m to Ch 30.00m		1	15.00			5.40	0.10	8.10		
	Ch 30.00m to Ch 47.80m		1	17.80			5.90	0.10	10.50		
	Ch 00.00m to Ch 15.00m **(1st sub cross road)(LHS) (W0505)**		1	15.00			5.40	0.15	12.15		
	Ch 15.00m to Ch 30.00m		1	15.00			5.45	0.10	8.18		
	Ch 30.00m to Ch 45.00m		1	15.00			5.50	0.10	8.25		
	Ch 45.00m to Ch 65.50m		1	20.50			5.50	0.10	11.28		
	Ch 00.00m to Ch 15.00m **(2nd sub cross road) (RHS) (W0941)**		1	15.00			5.70	0.10	8.55		
	Ch 15.00m to Ch 30.00m		1	15.00			4.95	0.15	11.14		
	Ch 30.00m to Ch 45.00m		1	15.00			4.45	0.15	10.01		
	Ch 45.00m to Ch 60.00m		1	20.50			4.60	0.10	9.43		
	Ch 60.00m to Ch 73.00m		1	13.00			4.85	0.10	6.31		
	Ch 00.00m to Ch 15.00m **(2nd sub cross road) (LHS) (W0507)**		1	15.00			5.30	0.15	11.93		
	Ch 15.00m to Ch 30.00m		1	15.00			5.30	0.15	11.93		
	Ch 30.00m to Ch 45.00m		1	15.00			5.20	0.10	7.80		
	Ch 45.00m to Ch 60.00m		1	15.00			5.05	0.10	7.58		
	Ch 60.00m to Ch 75.00m		1	15.00			5.10	0.10	7.65		
	Ch 75.00m to Ch 90.00m		1	15.00			5.45	0.15	12.26		
	Ch 90.00m to Ch 105.00m		1	15.00			5.45	0.10	8.18		
	Ch 105.00m to Ch 120.00m		1	15.00			4.90	0.15	11.03		
	Ch 120.00m to Ch 141.00m		1	21.00			4.95	0.10	10.40		
	Ch 00.00m to Ch 15.00m **(3nd sub cross road) (RHS) (W0945)**		1	15.00			5.10	0.15	11.48		
	Ch 15.00m to Ch 30.00m		1	15.00			5.35	0.10	8.03		
	Ch 30.00m to Ch 45.00m		1	15.00			5.30	0.15	11.93		
	Ch 45.00m to Ch 60.00m		1	15.00			5.10	0.10	7.65		
	Ch 60.00m to Ch 71.40m		1	11.40			4.90	0.10	5.59		
	Ch 00.00m to Ch 15.00m **(4th sub cross road) (RHS) (W0955)**		1	15.00			5.15	0.15	11.59		
	Ch 15.00m to Ch 30.00m		1	15.00			5.00	0.10	7.50		
	Ch 30.00m to Ch 45.00m		1	15.00			5.00	0.10	7.50		
	Ch 45.00m to Ch 60.00m		1	15.00			5.15	0.15	11.59		
	Ch 60.00m to Ch 70.50m		1	10.50			5.50	0.10	5.78		
	Ch 00.00m to Ch 15.00m **(6th sub cross road) (RHS) (W0959)**		1	15.00			4.80	0.10	7.20		
	Ch 15.00m to Ch 30.00m		1	15.00			4.65	0.15	10.46		
	Ch 30.00m to Ch 45.00m		1	15.00			4.90	0.10	7.35		
	Ch 45.00m to Ch 60.00m		1	15.00			5.05	0.15	11.36		
	Ch 60.00m to Ch 71.00m		1	11.00			4.95	0.10	5.45		
	Ch 00.00m to Ch 15.00m **(1st sub cross road on 6th c/s road) (Sunrise house road) (W0598)**		1	15.00			4.65	0.15	10.46		
	Ch 15.00m to Ch 30.00m		1	15.00			4.65	0.10	6.98		
	Ch 30.00m to Ch 45.00m		1	15.00			4.60	0.10	6.90		
	Ch 45.00m to Ch 60.00m		1	15.00			4.80	0.10	7.20		
	Ch 60.00m to Ch 75.00m		1	15.00			5.15	0.15	11.59		
	Ch 75.00m to Ch 90.00m		1	15.00			5.10	0.10	7.65		
	Ch 90.00m to Ch 102.00m		1	12.00			4.95	0.15	8.91		
	Bhuvaneshwari nagara										
	Ch 00.00m to Ch 15.00m **(10th cross road) (W0913)**		1	15.00			5.80	0.15	13.05		
	Ch 15.00m to Ch 30.00m		1	15.00			6.35	0.10	9.53		
	Ch 30.00m to Ch 45.00m		1	15.00			6.85	0.15	15.41		
	Ch 45.00m to Ch 60.00m		1	15.00			6.80	0.10	10.20		
	Ch 60.00m to Ch 74.00m		1	14.00			6.60	0.10	9.24		
	Ch 00.00m to Ch 15.00m **(11th cross road) (W0919)**		1	15.00			6.10	0.15	13.73		
	Ch 15.00m to Ch 30.00m		1	15.00			6.65	0.15	14.96		
	Ch 30.00m to Ch 45.00m		1	15.00			6.60	0.10	9.90		
	Ch 45.00m to Ch 58.00m		1	13.00			7.05	0.15	13.75		
	Ch 00.00m to Ch 15.00m **(12th cross road) (W0923)**		1	15.00			5.70	0.12	10.26		
	Ch 15.00m to Ch 32.00m		1	17.00			5.35	0.15	13.64		

Scanned by TapScanner

MODIFIED ESTIMATE

Description of Item	Unit	No	Length	Breadth			Depth	Quantity	Rate in	Amount in
			(m)	B1	B2	Avg B	(m)		RS.	RS.
For Pipe line cut portion										
Rachenahalli										
Ch 00.00m to Ch 15.00m **(Rachenahalli main) (W0711)**		2	15.00			1.20	0.30	10.80		
Ch 15.00m to Ch 30.00m		2	15.00			1.20	0.30	10.80		
Ch 30.00m to Ch 45.00m		2	15.00			1.20	0.35	12.60		
Ch 45.00m to Ch 60.00m		2	15.00			1.15	0.30	10.35		
Ch 60.00m to Ch 75.00m		2	15.00			1.15	0.30	10.35		
Ch 75.00m to Ch 90.00m		2	15.00			1.20	0.35	12.60		
Ch 90.00m to Ch 105.00m		2	15.00			1.20	0.30	10.80		
Ch 105.00m to Ch 120.00m		2	15.00			1.15	0.30	10.35		
Ch 120.00m to Ch 135.00m		2	15.00			1.20	0.35	12.60		
Ch 135.00m to Ch 150.00m		2	15.00			1.15	0.30	10.35		
Ch 150.00m to Ch 165.00m		2	15.00			1.20	0.30	10.80		
Ch 165.00m to Ch 180.00m		2	15.00			1.10	0.35	11.55		
Ch 180.00m to Ch 195.00m		2	15.00			1.20	0.30	10.80		
Ch 195.00m to Ch 210.00m		2	15.00			1.20	0.30	10.80		
Ch 210.00m to Ch 225.00m		2	15.00			1.25	0.35	13.13		
Ch 225.00m to Ch 240.00m		2	15.00			1.20	0.35	12.60		
Ch 240.00m to Ch 255.00m		2	15.00			1.25	0.30	11.25		
Ch 255.00m to Ch 270.00m		2	15.00			1.20	0.30	10.80		
Ch 270.00m to Ch 285.00m		2	15.00			1.15	0.30	10.35		
Ch 285.00m to Ch 300.00m		2	15.00			1.15	0.25	8.63		
Ch 300.00m to Ch 315.00m		2	15.00			1.20	0.35	12.60		
Ch 315.00m to Ch 330.00m		2	15.00			1.20	0.30	10.80		
Ch 330.00m to Ch 345.00m		2	15.00			1.20	0.30	10.80		
Ch 345.00m to Ch 360.00m		2	15.00			1.15	0.35	12.08		
Ch 360.00m to Ch 375.00m		2	15.00			1.10	0.35	11.55		
Ch 375.00m to Ch 390.00m		2	15.00			1.25	0.30	11.25		
Ch 390.00m to Ch 405.00m		2	15.00			1.20	0.30	10.80		
Ch 405.00m to Ch 420.00m		2	15.00			1.20	0.30	10.80		
Ch 420.00m to Ch 435.00m		2	15.00			1.20	0.30	10.80		
Ch 435.00m to Ch 450.00m		2	15.00			1.10	0.35	11.55		
Ch 450.00m to Ch 465.00m		2	15.00			1.10	0.30	9.90		
Ch 465.00m to Ch 480.00m		2	15.00			1.20	0.30	10.80		
Ch 480.00m to Ch 495.00m		2	15.00			1.25	0.35	13.13		
Ch 495.00m to Ch 510.00m		2	15.00			1.25	0.30	11.25		
Ch 510.00m to Ch 525.00m		2	15.00			1.20	0.30	10.80		
Ch 525.00m to Ch 540.00m		2	15.00			1.20	0.35	12.60		
Ch 540.00m to Ch 555.00m		2	15.00			1.20	0.30	10.80		
Ch 555.00m to Ch 570.00m		2	15.00			1.20	0.30	10.80		
Ch 570.00m to Ch 585.00m		2	15.00			1.10	0.35	11.55		
Ch 585.00m to Ch 600.00m		2	15.00			1.15	0.30	10.35		
Ch 600.00m to Ch 615.00m		2	15.00			1.15	0.30	10.35		
Ch 615.00m to Ch 630.00m		2	15.00			1.20	0.35	12.60		
Dasarahalli (Maruthi layout)										
Ch 00.00m to Ch 15.00m **(7th A cross road) (W0531)**		2	15.00			1.20	0.30	10.80		
Ch 15.00m to Ch 30.00m		2	15.00			1.15	0.30	10.35		
Ch 30.00m to Ch 45.00m		2	15.00			1.15	0.35	12.08		
Ch 45.00m to Ch 60.00m		2	15.00			1.20	0.30	10.80		
Ch 60.00m to Ch 75.00m		2	15.00			1.15	0.35	12.08		
Ch 75.00m to Ch 90.00m		2	15.00			1.20	0.30	10.80		
Ch 90.00m to Ch 105.00m		2	15.00			1.15	0.30	10.35		
Ch 105.00m to Ch 120.00m		2	15.00			1.10	0.35	11.55		
Ch 120.00m to Ch 135.00m		2	15.00			1.10	0.35	11.55		
Ch 135.00m to Ch 150.00m		2	15.00			1.20	0.30	10.80		
Ch 150.00m to Ch 165.00m		2	15.00			1.20	0.30	10.80		
Ch 165.00m to Ch 180.00m		2	15.00			1.15	0.35	12.08		
Ch 180.00m to Ch 195.00m		2	15.00			1.20	0.35	12.60		
Ch 195.00m to Ch 210.00m		2	15.00			1.15	0.30	10.35		
Ch 210.00m to Ch 216.00m		2	6.00			1.20	0.30	4.32		
Ch 00.00m to Ch 15.00m **(12th cross (RHS)) (W0495)**		2	15.00			1.15	0.30	10.35		
Ch 15.00m to Ch 30.00m		2	15.00			1.15	0.35	12.08		
Ch 30.00m to Ch 45.00m		2	15.00			1.20	0.35	12.60		
Ch 45.00m to Ch 60.00m		2	15.00			1.15	0.30	10.35		
Ch 60.00m to Ch 75.00m		2	15.00			1.10	0.30	9.90		

Scanned by TapScanner

MODIFIED ESTIMATE

ge To	Description of Item	Unit	No	Length (m)	Breadth B1	Breadth B2	Breadth Avg B	Depth (m)	Quantity	Rate in RS.	Amount in RS.
	Ch 75.00m to Ch 90.00m		2	15.00			1.15	0.30	10.35		
	Ch 90.00m to Ch 105.00m		2	15.00			1.00	0.30	9.00		
	Ch 105.00m to Ch 120.00m		2	15.00			1.20	0.30	10.80		
	Ch 120.00m to Ch 135.00m		2	15.00			1.20	0.35	12.60		
	Ch 135.00m to Ch 150.00m		2	15.00			1.15	0.30	10.35		
	Ch 150.00m to Ch 165.00m		2	15.00			1.20	0.35	12.60		
	Ch 165.00m to Ch 180.00m		2	15.00			1.15	0.30	10.35		
	Ch 180.00m to Ch 195.00m		2	15.00			1.15	0.35	12.08		
	Ch 195.00m to Ch 210.00m		2	15.00			1.15	0.30	10.35		
	Ch 210.00m to Ch 225.00m		2	15.00			1.20	0.30	10.80		
	Ch 225.00m to Ch 240.00m		2	15.00			1.15	0.35	12.08		
	Ch 240.00m to Ch 255.00m		2	15.00			1.15	0.30	10.35		
	Ch 255.00m to Ch 270.00m		2	15.00			1.20	0.30	10.80		
	Ch 270.00m to Ch 285.00m		2	15.00			1.15	0.30	10.35		
	Ch 285.00m to Ch 300.00m		2	15.00			1.15	0.35	12.08		
	Ch 300.00m to Ch 315.00m		2	15.00			1.15	0.30	10.35		
	Ch 315.00m to Ch 330.00m		2	15.00			1.20	0.30	10.80		
	Ch 330.00m to Ch 345.00m		2	15.00			1.10	0.30	9.90		
	Ch 345.00m to Ch 360.00m		2	15.00			1.15	0.35	12.08		
	Ch 360.00m to Ch 375.00m		2	15.00			1.20	0.35	12.60		
	Ch 375.00m to Ch 390.00m		2	15.00			1.15	0.30	10.35		
	Ch 390.00m to Ch 405.00m		2	15.00			1.20	0.30	10.80		
	Ch 405.00m to Ch 420.00m		2	15.00			1.15	0.35	12.08		
	Ch 420.00m to Ch 442.00m		2	22.00			1.15	0.30	15.18		
	Ch 00.00m to Ch 15.00m **(13th cross) (RHS) (W0491)**		2	15.00			1.15	0.30	10.35		
	Ch 15.00m to Ch 30.00m		2	15.00			1.20	0.35	12.60		
	Ch 30.00m to Ch 45.00m		2	15.00			1.15	0.30	10.35		
	Ch 45.00m to Ch 60.00m		2	15.00			1.15	0.30	10.35		
	Ch 60.00m to Ch 75.00m		2	15.00			1.20	0.35	12.60		
	Ch 75.00m to Ch 90.00m		2	15.00			1.15	0.30	10.35		
	Ch 90.00m to Ch 105.00m		2	15.00			1.15	0.35	12.08		
	Ch 105.00m to Ch 120.00m		2	15.00			1.10	0.30	9.90		
	Ch 120.00m to Ch 135.00m		2	15.00			1.10	0.30	9.90		
	Ch 135.00m to Ch 150.00m		2	15.00			1.15	0.35	12.08		
	Ch 150.00m to Ch 165.00m		2	15.00			1.15	0.30	10.35		
	Ch 165.00m to Ch 180.00m		2	15.00			1.20	0.35	12.60		
	Ch 180.00m to Ch 195.00m		2	15.00			1.20	0.30	10.80		
	Ch 195.00m to Ch 210.00m		2	15.00			1.20	0.30	10.80		
	Ch 210.00m to Ch 225.00m		2	15.00			1.15	0.35	12.08		
	Ch 225.00m to Ch 240.00m		2	15.00			1.15	0.30	10.35		
	Ch 240.00m to Ch 255.00m		2	15.00			1.20	0.30	10.80		
	Ch 255.00m to Ch 268.80m		2	13.80			1.15	0.30	9.52		
	Main road RHS										
	Ch 00.00m to Ch 15.00m **(4th cross road) (W0971)**		2	15.00			1.20	0.30	10.80		
	Ch 15.00m to Ch 30.00m		2	15.00			1.20	0.30	10.80		
	Ch 30.00m to Ch 45.00m		2	15.00			1.15	0.35	12.08		
	Ch 45.00m to Ch 60.00m		2	15.00			1.20	0.30	10.80		
	Ch 60.00m to Ch 75.00m		2	15.00			1.15	0.35	12.08		
	Ch 75.00m to Ch 90.00m		2	15.00			1.20	0.30	10.80		
	Ch 90.00m to Ch 105.00m		2	15.00			1.20	0.35	12.60		
	Ch 105.00m to Ch 123.70m		2	18.70			1.15	0.30	12.90		
	Ch 00.00m to Ch 15.00m **(5th cross road) (W0553)**		2	15.00			1.20	0.30	10.80		
	Ch 15.00m to Ch 30.00m		2	15.00			1.20	0.30	10.80		
	Ch 30.00m to Ch 45.00m		2	15.00			1.20	0.35	12.60		
	Ch 45.00m to Ch 60.00m		2	15.00			1.20	0.30	10.80		
	Ch 60.00m to Ch 75.00m		2	15.00			1.15	0.30	10.35		
	Ch 75.00m to Ch 90.00m		2	15.00			1.20	0.30	10.80		
	Ch 90.00m to Ch 105.00m		2	15.00			1.10	0.35	11.55		
	Ch 105.00m to Ch 120.00m		2	15.00			1.20	0.30	10.80		
	Ch 120.00m to Ch 135.00m		2	15.00			1.20	0.30	10.80		
	Ch 135.00m to Ch 150.00m		2	15.00			1.20	0.30	10.80		
	Ch 150.00m to Ch 165.00m		2	15.00			1.15	0.35	12.08		
	Ch 165.00m to Ch 182.00m		2	17.00			1.20	0.35	14.28		

Scanned by TapScanner

MODIFIED ESTIMATE

Description of Item	Unit	No	Length (m)	Breadth B1	Breadth B2	Breadth Avg B	Depth (m)	Quantity	Rate in RS.	Amount in RS.
Bhuvaneshwari nagara										
Ch 00.00m to Ch 15.00m **(9th cross road) (W0479)**		2	15.00			1.15	0.30	10.35		
Ch 15.00m to Ch 30.00m		2	15.00			1.20	0.35	12.60		
Ch 30.00m to Ch 45.00m		2	15.00			1.20	0.30	10.80		
Ch 45.00m to Ch 60.00m		2	15.00			1.20	0.30	10.80		
Ch 60.00m to Ch 75.00m		2	15.00			1.15	0.35	12.08		
Ch 75.00m to Ch 90.00m		2	15.00			1.20	0.35	12.60		
Ch 90.00m to Ch 105.00m		2	15.00			1.10	0.30	9.90		
Ch 105.00m to Ch 120.00m		2	15.00			1.20	0.30	10.80		
Ch 120.00m to Ch 135.00m		2	15.00			1.20	0.30	10.80		
Ch 135.00m to Ch 150.00m		2	15.00			1.15	0.35	12.08		
Ch 150.00m to Ch 165.00m		2	15.00			1.15	0.35	12.08		
Ch 165.00m to Ch 180.00m		2	15.00			1.20	0.30	10.80		
Ch 180.00m to Ch 195.00m		2	15.00			1.10	0.30	9.90		
Ch 195.00m to Ch 210.00m		2	15.00			1.20	0.30	10.80		
Ch 210.00m to Ch 225.00m		2	15.00			1.20	0.35	12.60		
Ch 225.00m to Ch 240.00m		2	15.00			1.15	0.35	12.08		
Ch 240.00m to Ch 255.00m		2	15.00			1.20	0.30	10.80		
Ch 255.00m to Ch 263.00m		2	8.00			1.10	0.30	5.28		
Ch 00.00m to Ch 15.00m **(6th cross road Continue) (W0471)**		2	15.00			1.20	0.35	12.60		
Ch 15.00m to Ch 30.00m		2	15.00			1.15	0.35	12.08		
Ch 30.00m to Ch 45.00m		2	15.00			1.20	0.30	10.80		
Ch 45.00m to Ch 60.00m		2	15.00			1.20	0.30	10.80		
Ch 60.00m to Ch 75.00m		2	15.00			1.15	0.35	12.08		
Ch 75.00m to Ch 90.00m		2	15.00			1.20	0.30	10.80		
Ch 90.00m to Ch 105.00m		2	15.00			1.10	0.35	11.55		
Ch 105.00m to Ch 120.00m		2	15.00			1.20	0.30	10.80		
Ch 120.00m to Ch 135.00m		2	15.00			1.20	0.30	10.80		
Ch 135.00m to Ch 150.00m		2	15.00			1.15	0.35	12.08		
Ch 150.00m to Ch 165.00m		2	15.00			1.15	0.35	12.08		
Ch 165.00m to Ch 180.00m		2	15.00			1.20	0.30	10.80		
Ch 180.00m to Ch 195.00m		2	15.00			1.20	0.30	10.80		
Ch 195.00m to Ch 210.00m		2	15.00			1.20	0.35	12.60		
Ch 210.00m to Ch 225.00m		2	15.00			1.15	0.30	10.35		
Ch 225.00m to Ch 240.00m		2	15.00			1.15	0.30	10.35		
Ch 240.00m to Ch 258.50m		2	18.50			1.20	0.35	15.54		
Ch 00.00m to Ch 15.00m **(7th cross road Continue) (W0475)**		2	15.00			1.20	0.30	10.80		
Ch 15.00m to Ch 30.00m		2	15.00			1.15	0.30	10.35		
Ch 30.00m to Ch 45.00m		2	15.00			1.15	0.30	10.35		
Ch 45.00m to Ch 60.00m		2	15.00			1.20	0.35	12.60		
Ch 60.00m to Ch 75.00m		2	15.00			1.10	0.35	11.55		
Ch 75.00m to Ch 90.00m		2	15.00			1.10	0.30	9.90		
Ch 90.00m to Ch 105.00m		2	15.00			1.20	0.30	10.80		
Ch 105.00m to Ch 120.00m		2	15.00			1.25	0.30	11.25		
Ch 120.00m to Ch 135.00m		2	15.00			1.25	0.35	13.13		
Ch 135.00m to Ch 150.00m		2	15.00			1.20	0.30	10.80		
Ch 150.00m to Ch 165.00m		2	15.00			1.20	0.30	10.80		
Ch 165.00m to Ch 180.00m		2	15.00			1.20	0.35	12.60		
Ch 180.00m to Ch 195.00m		2	15.00			1.15	0.30	10.35		
Ch 195.00m to Ch 210.00m		2	15.00			1.15	0.30	10.35		
Ch 210.00m to Ch 225.00m		2	15.00			1.20	0.30	10.80		
Ch 225.00m to Ch 240.00m		2	15.00			1.20	0.35	12.60		
Ch 240.00m to Ch 258.20m		2	18.20			1.15	0.30	12.56		
Bhuvaneshwari nagara										
Ch 00.00m to Ch 15.00m **(7th cross road)**		2	15.00			6.70	0.40	80.40		
Ch 15.00m to Ch 30.00m		2	15.00			5.80	0.40	69.60		
Ch 30.00m to Ch 45.00m		2	15.00			6.20	0.40	74.40		
Ch 45.00m to Ch 58.00m		2	13.00			6.40	0.40	66.56		
							Total Executed Quantity	**10972.59**	**50.00**	**548630.00**
							Tender Quantity	**10974.66**		

Scanned by TapScanner

MODIFIED ESTIMATE

ge To	Description of Item	Unit	No	Length (m)	Breadth B1	Breadth B2	Breadth Avg B	Depth (m)	Quantity	Rate in RS.	Amount in RS.
.10	KSRRB 300-46. Scarifying by mechanical means stone metal crust 50mm to 100mm thick by along with 20mm premix carpet / surface dressing and stacking of old serviceable materials including cost of all labour charges, HOM complete as per specifications.(P.No-146,I No-19.52)										
		Sqm									
	RACHENAHALLI (BHAGYASHREE LAYOUT)										
a)	Ch 0.00m to Ch 15.00m **(1st main road upto green pole) (W0460)**		1	15.00			5.80		87.00		
	Ch 15.00m to Ch 30.00m		1	15.00			5.70		85.50		
	Ch 30.00m to Ch 45.00m		1	15.00			6.15		92.25		
	Ch 45.00m to Ch 60.00m		1	15.00			6.55		98.25		
	Ch 60.00m to Ch 75.00m		1	15.00			6.40		96.00		
	Ch 75.00m to Ch 90.00m		1	15.00			6.30		94.50		
	Ch 90.00m to Ch 105.00m		1	15.00			6.40		96.00		
	Ch 105.00m to Ch 120.00m		1	15.00			6.20		93.00		
	Ch 120.00m to Ch 137.40m		1	17.40			5.90		102.66		
b)	Ch 00.00m to Ch 15.00m **(2nd cross road LHS) (W0669)**		1	15.00			4.75		71.25		
	Ch 15.00m to Ch 30.00m		1	15.00			5.00		75.00		
	Ch 30.00m to Ch 45.00m		1	15.00			5.25		78.75		
	Ch 45.00m to Ch 60.00m		1	15.00			5.35		80.25		
	Ch 60.00m to Ch 75.00m		1	15.00			4.90		73.50		
	Ch 75.00m to Ch 90.00m		1	15.00			4.65		69.75		
	Ch 90.00m to Ch 114.40m		1	24.40			4.95		120.78		
c)	Ch 00.00m to Ch 15.00m **(Durgamba Road)**		1	15.00			5.20		78.00		
	Ch 15.00m to Ch 30.00m		1	15.00			5.50		82.50		
	Ch 30.00m to Ch 45.00m		1	15.00			4.70		70.50		
	Ch 45.00m to Ch 60.00m		1	15.00			4.90		73.50		
	Ch 60.00m to Ch 75.00m		1	15.00			4.80		72.00		
	Ch 75.00m to Ch 90.00m		1	15.00			5.00		75.00		
	Ch 90.00m to Ch 105.00m		1	15.00			4.90		73.50		
	Ch 105.00m to Ch 120.00m		1	15.00			4.90		73.50		
	Ch 120.00m to Ch 135.00m		1	15.00			4.90		73.50		
	Ch 135.00m to Ch 150.00m		1	15.00			5.40		81.00		
	Ch 150.00m to Ch 162.00m		1	12.00			5.50		66.00		
d)	Ch 00.00m to Ch 15.00m **(Bakery Road upto 8th cross Road)**		1	15.00			8.30		124.50		
	Ch 15.00m to Ch 30.00m		1	15.00			8.60		129.00		
	Ch 30.00m to Ch 45.00m		1	15.00			8.50		127.50		
	Ch 45.00m to Ch 60.00m		1	15.00			8.70		130.50		
	Ch 60.00m to Ch 75.00m		1	15.00			8.50		127.50		
	Ch 75.00m to Ch 90.00m		1	15.00			8.60		129.00		
	Ch 90.00m to Ch 105.00m		1	15.00			8.90		133.50		
	Ch 105.00m to Ch 1120.00m		1	15.00			9.00		135.00		
	Ch 120.00m to Ch 135.00m		1	15.00			9.20		138.00		
	Ch 135.00m to Ch 150.00m		1	15.00			9.30		139.50		
	Ch 150.00m to Ch 165.00m		1	15.00			8.20		123.00		
	Ch 165.00m to Ch 180.00m		1	15.00			8.40		126.00		
	Ch 180.00m to Ch 195.00m		1	15.00			8.50		127.50		
	Ch 195.00m to Ch 210.00m		1	15.00			8.60		129.00		
	Ch 210.00m to Ch 225.00m		1	15.00			8.50		127.50		
	Ch 225.00m to Ch 240.00m		1	15.00			8.50		127.50		
	Ch 240.00m to Ch 255.00m		1	15.00			9.60		144.00		
	Ch 255.00m to Ch 270.00m		1	15.00			9.80		147.00		
	Ch 270.00m to Ch 285.00m		1	15.00			6.50		97.50		
	Ch 285.00m to Ch 300.00m		1	15.00			6.60		99.00		
	Ch 300.00m to Ch 315.00m		1	15.00			6.70		100.50		
	Ch 315.00m to Ch 330.00m		1	15.00			6.90		103.50		
	Ch 330.00m to Ch 345.00m		1	15.00			7.20		108.00		
	Ch 345.00m to Ch 360.00m		1	15.00			7.30		109.50		
	Ch 360.00m to Ch 375.00m		1	15.00			6.40		96.00		
	Ch 375.00m to Ch 390.00m		1	15.00			6.60		99.00		
	Ch 390.00m to Ch 405.00m		1	15.00			6.70		100.50		
	RAILWAY MEN LAYOUT										
a)	Ch 00.00m to Ch 15.00m**(1st main road) (W0188)**		1	15.00			6.80		102.00		
	Ch 15.00m to Ch 30.00m		1	15.00			6.25		93.75		

Scanned by TapScanner

MODIFIED ESTIMATE

ge To	Description of Item	Unit	No	Length (m)	Breadth B1	Breadth B2	Breadth Avg B	Depth (m)	Quantity	Rate in RS.	Amount in RS.
	Ch 30.00m to Ch 45.00m		1	15.00			5.55		83.25		
	Ch 45.00m to Ch 60.00m		1	15.00			5.50		82.50		
	Ch 60.00m to Ch 75.00m		1	15.00			5.25		78.75		
	Ch 75.00m to Ch 90.00m		1	15.00			5.05		75.75		
	Ch 90.00m to Ch 110.00m		1	20.00			5.05		101.00		
b)	Ch 0.00m to Ch 15.00m **(1st Sub Cross Rd)**		1	15.00			5.80		87.00		
	Ch 15.00m to Ch 31.20m		1	16.20			5.80		93.96		
c)	Ch 0.00m to Ch 15.00m **(2nd main road) (W0190)**		1	15.00			5.00		75.00		
	Ch 15.00m to Ch 30.00m		1	15.00			5.40		81.00		
	Ch 30.00m to Ch 45.00m		1	15.00			5.90		88.50		
	Ch 45.00m to Ch 60.00m		1	15.00			6.25		93.75		
	Ch 60.00m to Ch 75.00m		1	15.00			5.85		87.75		
	Ch 75.00m to Ch 90.00m		1	15.00			5.35		80.25		
	Ch 90.00m to Ch 105.00m		1	15.00			5.90		88.50		
	Ch 105.00m to Ch 120.00m		1	15.00			6.60		99.00		
	Ch 120.00m to Ch 135.00m		1	15.00			6.60		99.00		
	Ch 135.00m to Ch 150.00m		1	15.00			6.45		96.75		
	Ch 150.00m to Ch 165.00m		1	15.00			6.65		99.75		
	Ch 165.00m to Ch 180.00m		1	15.00			6.85		102.75		
	Ch 180.00m to Ch 195.00m		1	15.00			6.70		100.50		
	Ch 195.00m to Ch 210.00m		1	15.00			6.30		94.50		
	Ch 210.00m to Ch 237.00m		1	27.00			6.05		163.35		
d)	Ch 0.00m to Ch 15.00m **(3rd main road) (W0194)**		1	15.00			6.30		94.50		
	Ch 15.00m to Ch 30.00m		1	15.00			6.45		96.75		
	Ch 30.00m to Ch 45.00m		1	15.00			6.55		98.25		
	Ch 45.00m to Ch 60.00m		1	15.00			6.55		98.25		
	Ch 60.00m to Ch 75.00m		1	15.00			6.70		100.50		
	Ch 75.00m to Ch 90.00m		1	15.00			6.85		102.75		
	Ch 90.00m to Ch 105.00m		1	15.00			6.85		102.75		
	Ch 105.00m to Ch 120.00m		1	15.00			6.80		102.00		
	Ch 120.00m to Ch 135.00m		1	15.00			6.60		99.00		
	Ch 135.00m to Ch 156.30m		1	21.30			6.20		132.06		
e)	Ch 0.00m to Ch 15.00m **(4th main road) (W0200)**		1	15.00			6.40		96.00		
	Ch 15.00m to Ch 30.00m		1	15.00			6.55		98.25		
	Ch 30.00m to Ch 45.00m		1	15.00			6.70		100.50		
	Ch 45.00m to Ch 70.00m		1	25.00			6.80		170.00		
f)	Ch 0.00m to Ch 15.00m **(5th main road) (W0254)**		1	15.00			7.10		106.50		
	Ch 15.00m to Ch 30.00m		1	15.00			6.75		101.25		
	Ch 30.00m to Ch 45.00m		1	15.00			6.25		93.75		
	Ch 45.00m to Ch 60.00m		1	15.00			6.45		96.75		
	Ch 60.00m to Ch 75.00m		1	15.00			6.85		102.75		
	Ch 75.00m to Ch 90.00m		1	15.00			6.80		102.00		
	Ch 90.00m to Ch 105.00m		1	15.00			6.75		101.25		
	Ch 105.00m to Ch 120.00m		1	15.00			6.45		96.75		
	Ch 120.00m to Ch 135.00m		1	15.00			6.05		90.75		
	Ch 135.00m to Ch 150.00m		1	15.00			5.85		87.75		
	Ch 150.00m to Ch 165.00m		1	15.00			5.85		87.75		
	Ch 165.00m to Ch 180.00m		1	15.00			5.70		85.50		
	Ch 180.00m to Ch 195.00m		1	15.00			5.55		83.25		
	Ch 195.00m to Ch 210.00m		1	15.00			5.45		81.75		
	Ch 210.00m to Ch 225.00m		1	15.00			5.20		78.00		
	Ch 225.00m to Ch 240.00m		1	15.00			4.95		74.25		
	Ch 240.00m to Ch 255.00m		1	15.00			4.85		72.75		
	Ch 255.00m to Ch 276.00m		1	21.00			4.65		97.65		
	WAJID LAYOUT (W0264)										
	Ch 0.00m to Ch 15.00m		1	15.00			7.10		106.50		
	Ch 15.00m to Ch 30.00m		1	15.00			6.60		99.00		
	Ch 30.00m to Ch 45.00m		1	15.00			6.30		94.50		
	Ch 45.00m to Ch 60.00m		1	15.00			6.60		99.00		
	Ch 60.00m to Ch 75.00m		1	15.00			6.90		103.50		
	Ch 75.00m to Ch 90.00m		1	15.00			7.10		106.50		
	Ch 90.00m to Ch 105.00m		1	15.00			7.15		107.25		
	Ch 105.00m to Ch 120.00m		1	15.00			7.10		106.50		

Scanned by TapScanner

MODIFIED ESTIMATE

ge To	Description of Item	Unit	No	Length (m)	Breadth B1	Breadth B2	Breadth Avg B	Depth (m)	Quantity	Rate in RS.	Amount in RS.
	Ch 120.00m to Ch 135.00m		1	15.00			7.15		107.25		
	Ch 135.00m to Ch 150.00m		1	15.00			7.05		105.75		
	Ch 150.00m to Ch 165.00m		1	15.00			6.95		104.25		
	Ch 165.00m to Ch 180.00m		1	15.00			6.80		102.00		
	Ch 180.00m to Ch 195.00m		1	15.00			6.65		99.75		
	Ch 195.00m to Ch 210.00m		1	15.00			6.25		93.75		
	Ch 210.00m to Ch 225.00m		1	15.00			5.75		86.25		
	Ch 225.00m to Ch 240.00m		1	15.00			6.05		90.75		
	Ch 240.00m to Ch 255.00m		1	15.00			6.35		95.25		
	Ch 255.00m to Ch 270.00m		1	15.00			6.30		94.50		
	RACHENAHALLI (ANJANADRI LAYOUT)										
a)	Ch 0.00m to Ch 15.00m **(1st cross road LHS & RHS) (W1189)**		1	15.00			4.25		63.75		
	Ch 15.00m to Ch 30.00m		1	15.00			4.60		69.00		
	Ch 30.00m to Ch 45.00m		1	15.00			4.50		67.50		
	Ch 45.00m to Ch 60.00m		1	15.00			4.30		64.50		
	Ch 60.00m to Ch 75.00m		1	15.00			4.70		70.50		
	Ch 75.00m to Ch 90.00m		1	15.00			4.45		66.75		
	Ch 90.00m to Ch 102.70m		1	12.70			3.90		49.53		
b)	Ch 0.00m to Ch 15.00m **(2nd cross road LHS) (W1179)**		1	15.00			4.10		61.50		
	Ch 15.00m to Ch 30.00m		1	15.00			4.25		63.75		
	Ch 30.00m to Ch 45.00m		1	15.00			4.55		68.25		
	Ch 45.00m to Ch 68.40m		1	23.40			4.55		106.47		
c)	Ch 0.00m to Ch 15.00m **(2nd cross road RHS)**		1	15.00			4.15		62.25		
	Ch 15.00m to Ch 30.00m		1	15.00			4.50		67.50		
	Ch 30.00m to Ch 40.20m		1	10.20			4.65		47.43		
d)	Ch 0.00m to Ch 15.00m **(3rd cross road LHS) (W1169)**		1	15.00			4.85		72.75		
	Ch 15.00m to Ch 30.00m		1	15.00			4.75		71.25		
	Ch 30.00m to Ch 45.00m		1	15.00			4.80		72.00		
	Ch 45.00m to Ch 60.00m		1	15.00			4.70		70.50		
	Ch 60.00m to Ch 72.60m		1	12.60			4.75		59.85		
e)	Ch 0.00m to Ch 15.00m **(3rd cross road RHS)**		1	15.00			5.50		82.50		
	Ch 15.00m to Ch 30.00m		1	15.00			5.10		76.50		
	Ch 30.00m to Ch 37.00m		1	7.00			4.80		33.60		
f)	Ch 0.00m to Ch 15.00m **(4th cross road LHS) (W1159)**		1	15.00			4.80		72.00		
	Ch 15.00m to Ch 30.00m		1	15.00			4.80		72.00		
	Ch 30.00m to Ch 45.00m		1	15.00			4.75		71.25		
	Ch 45.00m to Ch 60.00m		1	15.00			5.10		76.50		
	Ch 60.00m to Ch 72.40m		1	12.40			4.90		60.76		
g)	Ch 0.00m to Ch 15.00m **(4th cross road RHS)**		1	15.00			4.60		69.00		
	Ch 15.00m to Ch 30.00m		1	15.00			4.80		72.00		
	Ch 30.00m to Ch 42.00m		1	12.00			3.95		47.40		
h)	Ch 0.00m to Ch 15.00m **(5th cross road LHS) (W1151)**		1	15.00			4.20		63.00		
	Ch 15.00m to Ch 30.00m		1	15.00			4.30		64.50		
	Ch 30.00m to Ch 45.00m		1	15.00			4.65		69.75		
	Ch 45.00m to Ch 60.00m		1	15.00			4.75		71.25		
	Ch 60.00m to Ch 70.70m		1	10.70			4.45		47.62		
i)	Ch 0.00m to Ch 15.00m **(5th cross road RHS)**		1	15.00			4.45		66.75		
	Ch 15.00m to Ch 30.00m		1	15.00			4.35		65.25		
	Ch 30.00m to Ch 38.20m		1	8.20			3.95		32.39		
j)	Ch 0.00m to Ch 15.00m **(6th cross road LHS) (W1147)**		1	15.00			3.40		51.00		
	Ch 15.00m to Ch 30.00m		1	15.00			3.05		45.75		
	Ch 30.00m to Ch 38.80m		1	8.80			3.10		27.28		
k)	Ch 0.00m to Ch 15.00m **(6th cross road RHS)**		1	15.00			5.05		75.75		
	Ch 15.00m to Ch 30.00m		1	15.00			5.35		80.25		
	Ch 30.00m to Ch 45.00m		1	15.00			5.15		77.25		

Scanned by TapScanner

MODIFIED ESTIMATE

e To	Description of Item	Unit	No	Length (m)	Breadth B1	Breadth B2	Breadth Avg B	Depth (m)	Quantity	Rate in RS.	Amount in RS.
	MAIN ROAD (LHS)										
l)	Ch 0.00m to Ch 15.00m (**7th Cross road)**		1	15.00			3.40		51.00		
	Ch 15.00m to Ch 30.00m		1	15.00			3.55		53.25		
	Ch 30.00m to Ch 45.00m		1	15.00			3.55		53.25		
	Ch 45.00m to Ch 55.20m		1	10.20			3.55		36.21		
m)	Ch 0.00m to Ch 15.00m **(8th Cross road)**		1	15.00			6.20		93.00		
	Ch 15.00m to Ch 30.00m		1	15.00			6.20		93.00		
	Ch 30.00m to Ch 45.00m		1	15.00			5.30		79.50		
	Ch 45.00m to Ch 60.00m		1	15.00			4.50		67.50		
	Ch 60.00m to Ch 68.20m		1	8.20			4.15		34.03		
n)	Ch 0.00m to Ch 15.00m **(1st sub road)**		1	15.00			5.20		78.00		
	Ch 15.00m to Ch 30.00m		1	15.00			5.15		77.25		
o)	Ch 0.00m to Ch 15.00m **(2nd sub road)**		1	15.00			4.85		72.75		
	Ch 15.00m to Ch 31.20m		1	16.20			5.65		91.53		
	Dasarahalli (Bhuvaneshwari nagar)										
	Ch 00.00m to Ch 15.00m **(3rd cross road) (W0455)**		1	15.00			6.15		92.25		
	Ch 15.00m to Ch 30.00m		1	15.00			6.40		96.00		
	Ch 30.00m to Ch 45.00m		1	15.00			6.75		101.25		
	Ch 45.00m to Ch 60.00m		1	15.00			6.60		99.00		
	Ch 60.00m to Ch 75.00m		1	15.00			6.50		97.50		
	Ch 75.00m to Ch 90.00m		1	15.00			1.40		21.00		
	Ch 90.00m to Ch 105.00m		1	15.00			1.50		22.50		
	Ch 105.00m to Ch 120.00m		1	15.00			2.10		31.50		
	Ch 120.00m to Ch 135.00m		1	15.00			2.20		33.00		
	Ch 135.00m to Ch 156.90m		1	21.90			2.60		56.94		
	Ch 00.00m to Ch 15.00m **(4th cross road) (W0461)**		1	15.00			6.40		96.00		
	Ch 15.00m to Ch 30.00m		1	15.00			6.20		93.00		
	Ch 30.00m to Ch 45.00m		1	15.00			5.90		88.50		
	Ch 45.00m to Ch 60.00m		1	15.00			5.70		85.50		
	Ch 60.00m to Ch 75.00m		1	15.00			5.65		84.75		
	Ch 75.00m to Ch 90.00m		1	15.00			5.85		87.75		
	Ch 90.00m to Ch 105.00m		1	15.00			6.00		90.00		
	Ch 105.00m to Ch 120.00m		1	15.00			5.80		87.00		
	Ch 120.00m to Ch 132.00m		1	12.00			5.70		68.40		
	Ch 00.00m to Ch 15.00m **(5th cross road) (W0465)**		1	15.00			1.25		18.75		
	Ch 15.00m to Ch 30.00m		1	15.00			2.20		33.00		
	Ch 30.00m to Ch 45.00m		1	15.00			5.70		85.50		
	Ch 45.00m to Ch 60.00m		1	15.00			1.30		19.50		
	Ch 60.00m to Ch 75.00m		1	15.00			1.40		21.00		
	Ch 75.00m to Ch 90.00m		1	15.00			2.20		33.00		
	Ch 90.00m to Ch 105.00m		1	15.00			2.40		36.00		
	Ch 105.00m to Ch 120.00m		1	15.00			5.80		87.00		
	Ch 120.00m to Ch 139.50m		1	19.50			5.80		113.10		
	Ch 00.00m to Ch 15.00m **(5th cross road continue)**		1	15.00			5.60		84.00		
	Ch 15.00m to Ch 30.00m		1	15.00			5.25		78.75		
	Ch 30.00m to Ch 45.00m		1	15.00			5.45		81.75		
	Ch 45.00m to Ch 60.00m		1	15.00			5.20		78.00		
	Ch 60.00m to Ch 75.00m		1	15.00			4.70		70.50		
	Ch 75.00m to Ch 90.00m		1	15.00			4.80		72.00		
	Ch 90.00m to Ch 105.00m		1	15.00			4.90		73.50		
	Ch 105.00m to Ch 120.00m		1	15.00			4.80		72.00		
	Ch 120.00m to Ch 135.00m		1	15.00			4.70		70.50		
	Ch 135.00m to Ch 150.00m		1	15.00			4.85		72.75		
	Ch 150.00m to Ch 165.00m		1	15.00			4.85		72.75		
	Ch 165.00m to Ch 180.00m		1	15.00			4.90		75.95		
	Ch 180.00m to Ch 195.50m		1	15.50							
	Saraipalya										

Scanned by TapScanner

MODIFIED ESTIMATE

From / To	Description of Item	Unit	No	Length (m)	Breadth B1	Breadth B2	Breadth Avg B	Depth (m)	Quantity	Rate in RS.	Amount in RS.
	Thanisandra Mn road RHS										
	Ch 00.00m to Ch 15.00m **(Army colony) (W1082)**		1	15.00			5.70		85.50		
	Ch 15.00m to Ch 30.00m		1	15.00			6.15		92.25		
	Ch 30.00m to Ch 45.00m		1	15.00			5.85		87.75		
	Ch 45.00m to Ch 60.00m		1	15.00			5.55		83.25		
	Ch 60.00m to Ch 75.00m		1	15.00			5.20		78.00		
	Ch 75.00m to Ch 90.00m		1	15.00			5.25		78.75		
	Ch 90.00m to Ch 105.00m		1	15.00			5.45		81.75		
	Ch 105.00m to Ch 120.00m		1	15.00			6.15		92.25		
	Ch 120.00m to Ch 135.00m		1	15.00			6.10		91.50		
	Ch 135.00m to Ch 150.00m		1	15.00			5.05		75.75		
	Ch 150.00m to Ch 165.00m		1	15.00			4.65		69.75		
	Ch 165.00m to Ch 178.00m		1	13.00			4.55		59.15		
	Ch 00.00m to Ch 15.00m **(govt school road) (W1517)**		1	15.00			4.50		67.50		
	Ch 15.00m to Ch 30.00m		1	15.00			3.85		57.75		
	Ch 30.00m to Ch 45.00m		1	15.00			4.65		69.75		
	Ch 45.00m to Ch 60.00m		1	15.00			4.90		73.50		
	Ch 60.00m to Ch 75.00m		1	15.00			4.75		71.25		
	Ch 75.00m to Ch 90.00m		1	15.00			4.80		72.00		
	Ch 90.00m to Ch 105.00m		1	15.00			4.00		60.00		
	Ch 105.00m to Ch 120.00m		1	15.00			4.05		60.75		
	Ch 120.00m to Ch 135.00m		1	15.00			4.45		66.75		
	Ch 135.00m to Ch 148.20m		1	13.20			5.30		69.96		
	Ch 00.00m to Ch 15.00m **(Brundhavan road) (W1108)**		1	15.00			5.30		79.50		
	Ch 15.00m to Ch 30.00m		1	15.00			4.90		73.50		
	Ch 30.00m to Ch 45.00m		1	15.00			4.65		69.75		
	Ch 45.00m to Ch 60.00m		1	15.00			4.85		72.75		
	Ch 60.00m to Ch 75.00m		1	15.00			4.55		68.25		
	Ch 75.00m to Ch 90.00m		1	15.00			4.50		67.50		
	Ch 90.00m to Ch 105.00m		1	15.00			4.80		72.00		
	Ch 105.00m to Ch 123.00m		1	18.00			4.90		88.20		
	Vidyasagar roads LHS and RHS side										
	Ch 00.00m to Ch 15.00m **(4th main road RHS) (L-shpe road) (W1795)**		1	15.00			5.30		79.50		
	Ch 15.00m to Ch 30.00m		1	15.00			4.90		73.50		
	Ch 30.00m to Ch 45.00m		1	15.00			4.65		69.75		
	Ch 45.00m to Ch 60.00m		1	15.00			4.85		72.75		
	Ch 60.00m to Ch 75.00m		1	15.00			4.55		68.25		
	Ch 75.00m to Ch 91.10m		1	16.10			4.50		72.45		
	Ch 00.00m to Ch 15.00m **(3rd main road RHS) (H P School road)**		1	15.00			7.15		107.25		
	Ch 15.00m to Ch 30.00m		1	15.00			7.45		111.75		
	Ch 30.00m to Ch 45.00m		1	15.00			7.80		117.00		
	Ch 45.00m to Ch 60.00m		1	15.00			7.15		107.25		
	Ch 60.00m to Ch 75.00m		1	15.00			6.75		101.25		
	Ch 75.00m to Ch 90.00m		1	15.00			7.05		105.75		
	Ch 90.00m to Ch 105.00m		1	15.00			7.00		105.00		
	Ch 105.00m to Ch 120.00m		1	15.00			7.05		105.75		
	Ch 120.00m to Ch 135.00m		1	15.00			7.10		106.50		
	Ch 135.00m to Ch 150.00m		1	15.00			6.85		102.75		
	Ch 150.00m to Ch 165.00m		1	15.00			6.90		103.50		
	Ch 165.00m to Ch 182.40m		1	17.40			7.10		123.54		
	Ch 00.00m to Ch 15.00m **(Rasool sab layout main road RHS) (W1176)**		1	15.00			4.60		69.00		
	Ch 15.00m to Ch 33.30m		1	18.30			4.50		82.35		
	Ch 00.00m to Ch 15.00m **(Rasool sab layout main road LHS) (W1176)**		1	15.00			4.70		70.50		
	Ch 15.00m to Ch 30.00m		1	15.00			4.50		67.50		
	Ch 30.00m to Ch 45.00m		1	15.00			4.60		69.00		
	Ch 45.00m to Ch 60.00m		1	15.00			4.60		69.00		

Scanned by TapScanner

MODIFIED ESTIMATE

	Description of Item	Unit	No	Length (m)	Breadth B1	Breadth B2	Breadth Avg B	Depth (m)	Quantity	Rate in RS.	Amount in RS.
	Ch 60.00m to Ch 75.00m		1	15.00			4.75		71.25		
	Ch 75.00m to Ch 90.00m		1	15.00			5.10		76.50		
	Ch 90.00m to Ch 105.00m		1	15.00			5.20		78.00		
	Ch 105.00m to Ch 120.00m		1	15.00			4.55		68.25		
	Ch 120.00m to Ch 135.00m		1	15.00			3.80		57.00		
	Ch 135.00m to Ch 150.00m		1	15.00			4.30		64.50		
	Ch 150.00m to Ch 165.00m		1	15.00			4.60		69.00		
	Ch 165.00m to Ch 180.00m		1	15.00			4.80		72.00		
	Ch 180.00m to Ch 195.00m		1	15.00			5.30		79.50		
	Ch 195.00m to Ch 213.30m		1	18.30			5.30		96.99		
	Ch 00.00m to Ch 15.00m **(Gupta layout tar factory road) (W1827)**		1	15.00			4.80		72.00		
	Ch 15.00m to Ch 30.00m		1	15.00			5.00		75.00		
	Ch 30.00m to Ch 45.00m		1	15.00			6.05		90.75		
	Ch 45.00m to Ch 60.00m		1	15.00			6.30		94.50		
	Ch 60.00m to Ch 75.00m		1	15.00			5.50		82.50		
	Ch 75.00m to Ch 90.00m		1	15.00			5.50		82.50		
	Ch 90.00m to Ch 105.00m		1	15.00			5.00		75.00		
	Ch 105.00m to Ch 120.00m		1	15.00			4.80		72.00		
	Ch 120.00m to Ch 135.00m		1	15.00			6.05		90.75		
	Ch 135.00m to Ch 150.00m		1	15.00			6.20		93.00		
	Ch 150.00m to Ch 165.00m		1	15.00			5.90		88.50		
	Ch 165.00m to Ch 180.00m		1	15.00			5.80		87.00		
	Ch 180.00m to Ch 195.00m		1	15.00			5.55		83.25		
	Ch 195.00m to Ch 210.00m		1	15.00			5.15		77.25		
	Ch 210.00m to Ch 225.20m		1	15.20			4.70		71.44		
	Ch 00.00m to Ch 15.00m **(2nd main road RHS) (W1773)**		1	15.00			4.05		60.75		
	Ch 15.00m to Ch 30.00m		1	15.00			3.90		58.50		
	Ch 30.00m to Ch 45.00m		1	15.00			3.35		50.25		
	Ch 45.00m to Ch 60.00m		1	15.00			3.45		51.75		
	Ch 60.00m to Ch 68.10m		1	8.10			4.35		35.24		
	Ch 00.00m to Ch 5.80m (Approach)		1	5.80			4.50		26.10		
	Ch 00.00m to Ch 15.00m		1	15.00			4.70		70.50		
	Ch 15.00m to Ch 30.00m		1	15.00			4.70		70.50		
	Ch 30.00m to Ch 45.00m		1	15.00			4.20		63.00		
	Ch 45.00m to Ch 60.00m		1	15.00			4.60		69.00		
	Ch 60.00m to Ch 80.50m		1	20.50			5.05		103.53		
	Ch 00.00m to Ch 15.00m **(2nd main road LHS) (W1771)**		1	15.00			6.30		94.50		
	Ch 15.00m to Ch 30.00m		1	15.00			6.40		96.00		
	Ch 30.00m to Ch 45.00m		1	15.00			6.20		93.00		
	Ch 45.00m to Ch 51.30m		1	6.30			6.30		39.69		
	Thanisandra Mn road LHS										
	Ch 00.00m to Ch 15.00m **(Balon factory road) (W0992)**		1	15.00			5.55		83.25		
	Ch 15.00m to Ch 30.00m		1	15.00			5.65		84.75		
	Ch 30.00m to Ch 45.00m		1	15.00			5.95		89.25		
	Ch 45.00m to Ch 60.00m		1	15.00			5.90		88.50		
	Ch 60.00m to Ch 75.00m		1	15.00			5.75		86.25		
	Ch 75.00m to Ch 90.00m		1	15.00			5.65		84.75		
	Ch 90.00m to Ch 105.00m		1	15.00			5.45		81.75		
	Ch 105.00m to Ch 120.00m		1	15.00			5.25		78.75		
	Ch 120.00m to Ch 135.00m		1	15.00			5.15		77.25		
	Ch 135.00m to Ch 150.00m		1	15.00			5.35		80.25		
	Ch 150.00m to Ch 165.00m		1	15.00			5.30		79.50		
	Ch 165.00m to Ch 180.00m		1	15.00			4.85		72.75		
	Ch 180.00m to Ch 195.00m		1	15.00			4.80		72.00		
	Ch 195.00m to Ch 210.00m		1	15.00			5.10		76.50		
	Ch 210.00m to Ch 225.00m		1	15.00			5.40		81.00		
	Ch 225.00m to Ch 240.00m		1	15.00			6.10		91.50		
	Ch 240.00m to Ch 255.00m		1	15.00			6.90		103.50		
	Ch 255.00m to Ch 270.00m		1	15.00			7.75		116.25		
	Ch 270.00m to Ch 285.00m		1	15.00			8.65		129.75		
	Ch 285.00m to Ch 300.00m		1	15.00			7.85		117.75		
	Ch 300.00m to Ch 315.00m		1	15.00			6.55		98.25		
	Ch 315.00m to Ch 330.00m		1	15.00			6.80		102.00		

Scanned by TapScanner